



REPUBLIKA E SHQIPERISE
MINISTRIA E MBROJTJES
INSTITUTI I GJEOGRAFISE DHE INFRASTRUKTURES USHTARAKE

“Rikonstruksion I objektit Godina nr.35.”

SPECIFIKIME TEKNIKE TE ARKITEKTURES

Shtator 2024



Tarraca

-Hiqet kapuci I amortizuar I betonit dhe zevendesohet me kapuc llamarine.

- Te garantohet qe detajet kapjes dhe bashkimeve te llamarines se parapetit.

-Shtresat ekzistuese te tarraces do te pastrohen nga mbeturinat dhe do ruhen. Mbi to do te vendoset shtresat e reja:

-lluster cemento 2cm

-termoizolim 5 cm

-lluster cemento 2cm

-H/izolim me 2 leter ruberoid 4mm e sipermja e granuluar

Muret e rinj


-Muret e rinj do te behen me tulle 10 cm te suvatuara ne te dyja anet e saj.

-Ne murin ekzistues mes dy kartotekave te vendoset nje shtrese zjarrduruese 10cm me lesh guri dhe veshje antizjar me Knauf 5 cm.

Fasada :

-Ne fasade do te realizohet veshje me system Kapot, ku materiali termoizolues do te jete $t=10 \times 50 \times 100 \text{ kg/m}^3$ antizjarr. Lyerje fasade me boje akrilik ,cilesi e pare ,kunder lageshtires me tonalitetet ekzistuese .Kodi I bojës se jashmte vivechrom. 11YY79/170.

DETAJ I VESHJES KAPOT



-Ullukët vertikal PVC do te zevendesohen dhe do te vendosen xingato $\varnothing 100 \text{ mm} + 11$ kaseta shkarkimi .



-Te vendosen davancale mermeri $\delta = 3$ cm tek dritaret dhe vetratat ne gjithe godinen me tonalitet natyral.


Rifinitura :

-Lyerje e mureve te brendshme me boje hidroplastike cilesi e pare , kodi I bojës Vivechrom 71YY90/027.


Dritaret

Dritaret qe do te perdoren do te jene me hapje me kanata ose fikse sipas vizatimeve teknike me kornize plastike, dopio xham termike.


PAMJE TE DRITAREVE/VETRATAVE SH.1:40




(D1) Dritare plastike me dopio xham




(D2)Dritare plastike me dopio xham




(D3)Dritare plastike me dopio xham




(D4)Dritare plastike me dopio xham



(D5)Dritare plastike me dopio xham



(D6)Dritare plastike me dopio xham



(D7)Dritare plastike me dopio xham


Hapje superluc

Hapje me Kanata


Hapje me Kanata

Hapje me kanata






(V1) Vetrate xhami plastike me dopic xham



(P7) Dete e blinduar, e bardhe



F.V. detyr e jashtme emergjence e blinduar +doreze antipanik



Punoi : ark. Kleogena Kateshi