



REPUBLIKA E SHQIPERISE
BASHKIA VLORE
DREJTORIA E PLANIFIKIMIT DHE ZHVILLIMIT TE TERRITORIT
Adresa: Sheshi "4 Heronjtë", Tel: 033 22745; Fax: 033 24275; E-mail: bashkiavlore@yahoo.com

MIRATOHET
Dritan LELI

KRYETAR

P R E V E N T I V I
"Studim Projektim Lidhja e Rruges Transballkanike me Portin "

Lidhja e Rruges Transballkanike me Portin						
Nr.	Nr.	Pershkrimi	Njesia	Sasia	Çmimi (Leke)	Vlera (Leke)
		I- PUNIME PRISHJE (HAPJA E SHESHIT TE NDERTIMIT)				
1	AN	Çmimi: Prishje 1 m ³ ndertese 1kateshe komplet (prishje themeli, shtresa, kostrukcion mbajtes vertikal, mbistrukture)	m3	8850		
2	AN	Çmimi: Prishje 1 m ³ ndertese 2kateshe komplet (prishje themeli, shtresa, kostrukcion mbajtes vertikal, mbistrukture)	m3	2960		
3	AN	Çmimi: Prishje 1 m ³ ndertese 3kateshe komplet (prishje themeli, shtresa, kostrukcion mbajtes vertikal, mbistrukture)	m3	1380		
4	AN	Çmimi: Prishje 1 m ³ ndertese 4kateshe komplet (prishje themeli, shtresa, kostrukcion mbajtes vertikal, mbistrukture)	m3	1294		
5	AN	Çmimi: per 1 ml mur rrethimi komplet (themel mur tulle apo blloqe, brez)	ml	275		
		TOTAL -I-				
		II- PUNIME NE TRUP RRUGE				
		A- GERMIME				
6	3.107/b+ 2.37/5a	Germim dheu me ekskavator, 1.0 m ³ , ne kanale gjeresi > 2 m, toke zak, kategoria IV, me shk ne toke + Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	11590		
					TOTAL A	
		B- MBUSHJE NE TRUP RRUGE				
7	An.164/1a	Mbushje me material te germuar ne trupin e rruges, perhapur e ngjeshur me makineri(dhe I zgjedhur)	m3	2540		
8	3.483	Ndertim shtrese me zhavorr min 50 cm	m3	5890		
					TOTAL B	
		C- SHTRESAT RRUGORE				
9	3.21	Shtrese çakelli mbeturine kave 2x15cm, perhapur e ngjeshur makineri	m2	6750		
10	3.212/b	Shtrese stabilizant t=10cm	m2	6750		
11	3.212/c	Shtrese stabilizant t=15cm	m2	6750		
12	3.212/1a	Shtrese konglomerati t=10cm	m2	6750		
13	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	6450		
14	3.226/1	Shtrese asfaltobetoni me granil guri kave, 4cm, me makineri	m2	6450		
15	An-33	Shtrese gjeotekstil me gramature 500g/m2	m2	9780		

					TOTAL C	
	D - PUNIME NE BORDURA, KUNETA, TROTUAR, PUNIME NENTOKESORE PER LARGIMIN E UJRAVE SIPERFAQESOR, PUNIME KUZ, DETAJE					
16	3.107/b+ 2.37/5a	Germim dheu me ekskavator, 1.0 m³, ne kanale gjeresi > 2 m, toke zak, kategoria IV, me shk ne toke + Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	1450		
17	3.184/a	Shtrese zhavor lumi t=30cm	m2	3050		
18	2.290	Bordura 20x35cm te parapergatitura	ml	1250		
19	2.262/4	Beton kunete C 16/20 t=10 cm me pjerresi	m3	64		
20	3.617/1	F V bordura betoni 15x30 cm (trotuar, korsi biciklete)	ml	1725		
21	3.619	F V bordura betoni 25x50 cm	ml	210		
22	2.262/4	Shtrese betoni C 16/20 per kunete	m3	159		
23	2.261	Shtrese rere	m3	30		
24	2.262/3	Beton per bazament bordure	m3	159		
25	2.262/4	Shtrese betoni C 16/20 per rrethore	m3	22		
26	2.262/4	Shtrese betoni C 16/20 kufizuese pemesh	m3	13		
27	3.620	Trotuar, me 6 cm beton, me pllaka	m2	3274		
28	2.166	F V hekur betoni periodik Ø 6 - 10 mm	ton	2.2		
29	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	620		
30	3.An/2t	F V tuba te brinjezuar HDPE SN8 d=400 mm	ml	620		
31	2.556	F.V tuba betoni Ø 600 mm	ml	60		
32	2.523	Tub kanalizimi pvc Ø 200 mm	ml	440		
33	An - 20	Pusete UB shkarkimi b/a, 80 x 80 cm, h = 150 cm	cope	19		
34	An-1	Ndertim puseta betoni H=2.5-3m, D=1m + kapak gize per U.Z.	cope	12		
					TOTAL D	
	E- PUNIME PER KORSINE E BICIKLETAVE					
35	3.107/b+ 2.37/5a	Germim dheu me ekskavator, 1.0 m³, ne kanale gjeresi > 2 m, toke zak, kategoria IV, me shk ne toke + Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	640		
36	An.164/1b	Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri sp 30 cm	m3	480		
37	3.212/a	Shtrese stabilizanti t=5cm	m2	1600		
38	3.221/1	Shtrese binderi me granil gur kave,4cm,me makineri	m2	1600		
39	3.226/1	Shtrese asfaltobetoni me granil guri kave, 4cm, me makineri	m2	1600		
40	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	m	1440		
41	An142	Boje bikoponente (sprajt)	m2	8		
					TOTAL E	
	F- PUNIME PER PARKIMIN E HAPUR					
42	3.107/b+ 2.37/5a	Germim dheu me ekskavator, 1.0 m³, ne kanale gjeresi > 2 m, toke zak, kategoria IV, me shk ne toke + Transport materiale ndertimi, dheu me auto deri 5.0 km	m3	1659		
43	An-33	Shtrese gjeotekstil me gramature 500g/m2	m2	1005		
44	3.184/a	Shtrese zhavor lumi t=30cm	m2	1005		
45	3.21	Shtrese çakelli mbeturine kave 2x15cm, perhapur e ngjeshur makineri	m2	1005		
46	3.212/b	Shtrese stabilizant t=10cm	m2	1005		
47	3.212/c	Shtrese stabilizant t=15cm	m2	1005		
48	3.222/1	Shtrese binderi me granil gur kave,5cm,me makineri	m2	635		
49	3.226/1	Shtrese asfaltobetoni me granil guri kave, 4cm, me makineri	m2	635		
50	2.290	Bordura 20x35cm te parapergatitura	ml	370		
51	2.262/4	Shtrese betoni C 16/20 per kunete	m3	25		
52	An122	Vijezim shirita gjatesor dhe anesor me gjeresi 12 cm. Bikoponente (sprajt)	m	740		
53	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	160		
54	An - 20	Pusete UB shkarkimi b/a, 80 x 80 cm, h = 150 cm	cope	7		
55	3.643	Mbjellje bari	m2	1,600		
56	Analize	Peme PLATANUS me perimenter mbi 40-45cm i matur 1m mbi toke	cope	22		
57	3.184/a	Shtrese zhavor lumi t=30cm per trotuare	m2	1,820		
58	2.261	Shtrese rere	m3	36		
59	3.620	Trotuar, me 6 cm beton, me pllaka	m2	1,820		

60	3.617/1	F.V bordura betoni 15x30 cm (trotuar, korsi biciklete)	ml	720		
TOTAL F						
TOTAL -II- (A+B+C+D+E)						
III- PUNIME ELEKTRIKE						
A- NDRIÇIMI RRUGOR						
57	An-1	F.V Shtylle metalike konike H=8 m	cope	40		
58	An-2	F.V Shtylle metalike tip "Shqiponje" H=10.8 m	cope	15		
59	An-3	F.V Morseteri shtylle 4P+sig 4A+kapak	cope	55		
60	An-4	Vendosje ndriçues Rrugor LED 2x60 W (pa perfshire paisjen)	cope	40		
61	An-5	Vendosje ndriçues Rrugor LED 1x120 W (pa perfshire paisjen)	cope	40		
62	An-6	Vendosje llampe sinjalizimi e kuqe (pa perfshire paisjen)	cope	15		
63	3 An/et	F.V Elektroda tokezimi te zinguar 50x3mm, L=1.5m	cope	55		
64	3.An/pp	FV pusete plastike 40x40x40, kapak te forte RIC 1084+1086	cope	55		
65	An-9	Vendosje panel metalik i kompletuar per komandimin e ndricimit 1000x800x300 mm, me 3 linja dalese (pa perfshire paisjen)	cope	1		
66	An-10	F.V Kabell bakri i tensionit te ulet FG7, S=3x1.5mm2 (morseteri-ndricues)	ml	1050		
67	An-11	F.V Kabell bakri i tensionit te ulet FG7, S=5x16mm2	ml	460		
68		F.V Kabell AL i tensionit te ulet NA2XY S=4x25mm2	ml	2100		
69	An-12	F.V Percjelles bakri i izoluar per tokezimin e shtyllave S=1.6mm2	ml	50		
70	An-13	F.V Tub plastik dyshtresor me diameter d=75mm	ml	2100		
71	An-14	F.V Tub metalik d=140mm per intersektme	ml	50		
72	An-15	Hapje mbyllje kanali S.D.(Seksion i detyruar)	m3	8		
73	2.114/1	Plinta e bazamente b/a monolite deri 20 m3 C - 16/20 (Bazament Shtylla)	m3	17		
74	An-17	Vendosje kuader elektrik i matjes se energjise elektrike (i kompletuar) (pa perfshire paisjen)	cope	1		
TOTAL A						
B- INSTALIMI ELEKTROTELEFONIK REZERVE						
75	AN	Pusete betoni me kapak gize 100x100x100 cm komplet (Germim, shtrese zhavori, beton, kapak gize 80x80cm)	cope	4		
76	AN	Tub fleksibel P.V.C Ø100, per 3cope ne seksion komplet (Germim, vendosje 3 tubave, rere, shirit sinjalizues,zhavor)	ml	520		
TOTAL B						
C- KUADRI ELEKTRIK I MATJES SE ENERGJISE ELEKTRIKE						
77	AN	Kuader elektrik per matjen e energjise elektrike, Dim (600*400*250)mm.IP-40 me axexore	cope	1		
78	AN	Transformator rryme T.U. S=12VA, Ip/Is=(400/5)A; klasa 1	cope	3		
79	AN	Mates tre-fazor digital, Un=230/400 V, In=3*5 A	cope	1		
80	AN	Aparat mates rryme digital, In= 5 A(shkalle 0-400)A	cope	3		
81	AN	Aparat mates tensioni digital U=0-500 V	cope	1		
82	AN	Komutator per 6 pozicione Un=500 volt,A--0 ;B-0;C-O; A-B ; B-C ;A-C	cope	1		
83	AN	Percjeles bakri i veshur tip . NO7V-K , S=1.5 mm² , 5 ngjyra	ml	120		
84	AN	Klemeri te T.U. In=10 A, S= 1.5 mm2	cope	24		
85	AN	Llamba sinjalizim tensioni, Un=0.5 KV; S=1,3VA	cope	3		
TOTAL C						
D- KUADRI ELEKTRIK I NDRIÇIMIT						
86	AN	Kuader elektrik panel mbyllje me dryn, dim (400*300*200)mm.IP-40 me axexore	komp	1		
87	AN	Shina bakri kit, Un=0.6/ KV ;In=100 A ; S=30 * 3 mm Cu	komp	1		
88	AN	Automat magneto-termik, Un=690 Volt, In=250 A ;4P ; lcc=10 KA	cope	1		
89	AN	Automat magneto-termik , klasa " C " , Un=690 Volt;In=80 A ;4P ; lcc=10 KA	cope	3		

90	AN	Morseta " Faze- Neuter - toke", Un=0.6/ KV ;In=200 A ; S=120 mm² Cu	cope	2		
91	AN	Leshues elektromekanik,A1-A2=220V, Un=500 Volt, In=100 A ;4P ; Icc=10 KA	cope	3		
92	AN	Rele kreposkulare, Un=220V ;In=16 A ;	cope	3		
93	AN	Siguresa D01/60A, 4P, 500V, modulare	cope	3		
94	AN	Siguresa D02/50A, 4P, 500V, modulare	cope	3		
95	AN	Shkarkues toke Un=690V. In=100A	cope	3		
96	AN	Llamba sinjalizim tensioni, Un=0.5 KV; S=1,3VA	cope	3		
	TOTAL 4					
	TOTAL - III - (A + B+C+D)					
	IV- PUNIME SINJALISTIKE					
97	An53	Tabele drejtkëndore (tregimi)(AxB) e madhe 135x200	cope	1		
98	An52	Tabele drejtkëndore (tregimi)(AxB) normal 90x135	cope	1		
99	An107	Tabela trekendore e madhe me A = 120	cope	8		
100	An104	Tabele rrethi "ndalim" e madhe me D = 90	cope	7		
101	An132	Vijezi shirita gjatesor dhe anesor me gjeresi 25 cm. Bikomponente (sprajt)	ml	1400		
102	An142	Boje bikoponente (sprajt)	m2	84.0		
	TOTAL -IV-					
	V- PUNIME GJELBERIMI & SISTEMIM SKARPATE					
103	3.643	Mbjellje bari	m2	1300		
104	Analize	Peme PLATANUS me perimeter mbi 40-45cm i matur 1m mbi toke	cope	108		
105	An165	F.V. Fidane shkurre dekorative "Oleander"	cope	75		
	TOTAL -V-					
	TOTAL SHUMA I + II + III + IV					
	TVSH 20%					
	SHUMA					

PREVENTIVOI
Ing Darjan Hudhra
Dr. Ark. Fatjon Devollaj