


Plan
Shkalla: 1/100




Plan
Shkalla: 1/150



Aksonometri
Shkalla: 1/150




Plan
Shkalla: 1/100

## Legjenda e materialeve:

| Ground Covering | Rifinituraë e Sheshit | Symbol |
|---|---|---|
| | | M |
| Concrete Path with white Pebble Stone | Beton me gure te bardhe | M0 |
| Dolomit | Dolumit | M1 |
| Thin Inox Kerb 1x25 | Profil inoksi | M2 |
| Standart Concrete Paving Bricks 10x10x20 cm | Pllaka standarte betoni me madhesi 10x10x20cm | M3 |
| Pervious Concrete | Beton poroz | M4 |
| Pigmented Pink Concrete | Beton I pigmentuar ngjyre roze | M5 |
| Pigmented sand Color Concrete | Beton I pigmentuar ngjyre rere | M6 |
| Glass balustrade | Parmak xhami | M7 |
| Crashed Basalt Gravel (dark) | Bazalt I thyer per zhavor (I erret) | M8 |
| Red colored asphalt | Asfalt ngjyre roze | M9 |
| Large format local Stone Tiles 2 different kinds: one for 'Mist' one for 'Water Walls' | Pllaka guri lokal te formateve te medha 2 lloje te ndryshme : nje per 'Mist' dhe nje per 'Water Walls' | M10 |
| Rock | Gure te permasave natyrore | M11 |
| Grey concrete- natural smooth cast | Beton gri- me siperfaqe natyrale | M12 |
| Brushed Concrete | Beton me krijge cimento dhe kuarc I furzuar | M13 |
| EPDM sportsfloor | EPDM per dyshemet sportive | M14 |
| Concrete supportet wall structure | Mure suportues prej betoni | M15 |
| Standart Asphalt | Asfalt standart | M16 |
| Pigmented concrete borderstone | Bordur betoni I pigmentuar | M17 |
| Polished concrete entrance of the circles | Beton I rashinuar hyrja e ratheve | M18 |
| Concrete borderstone 40x20 cm | Bordur betoni 40x20 cm | M19 |
| Concrete borderstone dolomit color 20x20 | Bordur betoni ngjyr dolomiti 20x20 | M20 |
| Concrete borderstone 20x20 | Bordur betoni 20x20 | M21 |
| | | G |
| Grass | Bar | G |
| Normal lawn grass | Bar normal | G 1.1 |
| Dry tolerant grass | Bar tolerant ndaj thatesires | G 1.2 |
| Ground covering plants | Bime shumevjecare | G 1.3 |
| Meadow - Seed mix | Livadh - Perzierje farash | G 1.4 |
| Sand | Rere | G2 |
| | | E |
| Lighting Poles | Ndricuesa | E1 |
| Trash Bins | Kosha mbeturinash | E2 |
| Movable Furnitures | Mobilje te levizshme | E3 |
| Sand colored concrete with textile print in framework | Beton me ngjyre rere me armatura te tekstunuara | E4 |
| Polished concrete bench | Beton I rashinuar per stolat | E5 |
| Natural Stone stairs | Shkalle me gure natyral | E6 |
| Slides in inox | Rrëshqitese inoksi | E7 |
| Pre fabricated concrete wall element (light color) - Claustra | Mure te parafabrikuar prej betoni I parafabrikuar per murin me ngjyre te hapur - Klaustra | E8 |
| Stone rocks fit as furnitures | Gure natyrore per ulese | E9 |
| Fence for the basket core | Rrjete per fushen e basketbollit | E10 |
| Pergola structure: pre fab concrete columns + galvanized metal beam | Struktura e pergolas: kollona prej betoni te parafabrikuara me trare metalik te galvanizuar | E11 |
| Rock | Gure te permasave te medha | E12 |
| Inox Bicycle rack | Parkim bicikletash prej inoksi | E13 |
| Playground element in wood | Elemente prej druri per kendin e femijeve | E14 |
| Playground element in colored concrete | Elemente prej betoni te pigmentuar per kendin e femijeve | E15 |
| Playground element in metal | Elemente metalike per kendin e femijeve | E16 |
| Trampoline (woven polypropylene, steel springs, safete mat) | Trampoline | E17 |
| Basket | Koshat e basketbollit | E18 |
| Local stone cylinder pedestral | Cilinder me gure lokal per bustin | E19 |
| Cat eyes | Dordura te shtrira | E20 |
| Metalic profile for the sphere | Profil metalik per sferen kacavjerese | E21 |

## Legjenda e Detajeve:

| Symbol | Naming | Emertimi |
|---|---|---|
| | | |
| D1 | Inox kerb between dolomit and red asphalt | Profil inoksi midis dolomitit dhe asfaltit te kuq |
| D2 | Roundabout meets asphalt | Rrethrotullimi takon asfaltin |
| D3 | Inox bicycle parking | Parkim bicikletash prej inoksi |
| D4 | Dolomit meets vegetation | Lidhja e dolomitit me gjelberimin |
| D5 | Creek bench | Stoli I prrojit |
| D6 | Connection of the inox swings | Themeli I inoksit te lishareses |
| D7 | Concrete borderstone on the edges | Bordure betoni ne cepat e parkut |
| D8 | Foundations of the gallery | Themelet e galerise |
| D9 | Sublayers of the emergency passage | Nenshtresat e kalimit te emergjencave |
| D10 | Concrete bench on the playscape | Stoli I betonit ne kendin e lojrave |
| D11 | Entrance of the circles with elements | Detaji I hyrjes se ratheve me elemente |
| D12 | Sublayers of the water circles | Nenshtresat e ratheve me uje te vazhdueshem |
| D13 | Connection of dolomit with the concrete tiles 20x10x10 | Lidhja e dolomitit me pllakat e betonit import 20x10x10 |
| D14 | Connection of asphalt with the concret tiles 20x10x10 | Lidhja e asfaltit me pllakat e betonit import 20x10x10 |
| D15 | Border at the bus stop | Bordura ne stacionin e autobusit |
| D16 | Border of the street | Bordura e rruges |
| D17 | Detail of the drainage at the street | Detaji I drenazhimit ne rruge |
| D18 | Drainage of the rain water of the gallery | Drenazhimi I ujit te soletes se galerise |
| D19 | Detail of the balustrade of the gallery | Detaji I balustrades se galerise |
| D20 | Detail of the wall on the edge of the park | Detaji I murit dhe stolit ne fund te parkut |
| D21 | Detail of the drainage outside the circles | Detaji I drenazhimit jashte ratheve |
| D22 | Drainage detail in the edges of the park | Detaji I drenazhimit ne cepat e parkut |
| D23 | Drainage detail of Balance circle | Detaji I drenazhimit te rrethit Balance |
| D24 | Drainage detail inside the circles | Detaji I drenazhimit brenda ratheve |
| D25 | Detail of the bench around the circles | Detaji I betonit per ulese rreth ratheve |
| D26 | Foundation of the Walled garden | Themeli I kopshtit te mbyllur |
| D27 | Longitudional section of the gallery | Prerja terthore e galerise |
| D28 | Foundation of the basket fence and the EPDM | Themeli I gardhit te basketbollit dhe lidhja me EPDM |
| D29 | Connection of dolomit with pervious concrete | Lidhja e dolomitit me betonin e pastert |
| D30 | Connection of pervious concrete with the concrete import tiles 20x10x10 | Lidhja e betonit te paster me pllakat e betonit import 20x10x10 |
| D31 | Detail of the mountain sublayers | Detaji I shtresave te malit |
| D32 | Detail of the silent garden sublayers | Detaji I shtresave te kopshtit te qete |
| D33 | Details of the sublayers of the trampoline | Detaji I nenshtresave te trampolines |
| D34 | Detail of the connection of pebble stone with dolomit | Detaji I lidhjes se gurit te zallit me dolomitin |
| D35 | Detail of the drainage between the wall and slab | Detaji I drenazhimit ne lidhjen e murit me dyshemen |
| D36 | Detail of the wall section with the circle opening | Detaji I prerjes se murit me hapjen rrethore |
| D37 | Detail of the wall section with the square opening | Detaji I prerjes se murit me hapjen katrore |



Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.
Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi

**Klient:** Fondi Shqiptar i Zhvillimit

| | | |
|---|---|---|
| XDGA<br>International Studio (INT)<br>Studio Ndërkombetare | | Firma:<br>Lexuar dhe aprovuar |
| iRI<br>Local Architecture Office (LOC)<br>Studio Lokale Arkitekture (VËND)<br>Gent Agolli | N.6844 | Firma:<br>Lexuar dhe aprovuar |
| PIRO KOKALARI<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 0305/1 | Firma:<br>Lexuar dhe aprovuar |
| LUAN MYRTAJ<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 1248/3 | Firma:<br>Lexuar dhe aprovuar |
| HYDRO&ENERGY<br>MEP Engineering (LOC)<br>Hidro-Mekanik (VËND)<br>Nikolin Risilia; Artur Dado | N . 5820 / 3 | Firma:<br>Lexuar dhe aprovuar |
| Eurotest<br>Electrical Engineer (LOC)<br>Inxhinier Elektrik (VËND)<br>Samir Salaj | N.6700/1 | Firma:<br>Lexuar dhe aprovuar |

ALL DIMENSIONS HAVE TO BE VERIFIED BY THE CONTRACTOR ON TE CONSTRUCTION SITE

IMPORTANT: These drawings are property of iRI; Rruga DERVISH HIMA, nr 8 kati i pare – 1001 TIRANË. Copy, multiplication or distribution inbetween parties of these plans (or any part of it) without written permission of iRI is prohibited.

TË GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORI NË VËND

E RËNDËSISHME: Këto vizatime janë pronë e iRI, Rruga DERVISH HIMA, nr 8 kati i parë – 1001 TIRANË. Kopjimi, shumëfishimi apo shpërndarja e këtyre vizatimeve (apo pjesëve të tyre) pa lejen me shkrim të iRI është e ndaluar.

| disiplina | numri i fletes: | |
|---|---|---|
| A | 18/1 | N1. RRETHROTULLIMI |

| faza: | data: | shkalla: | formati: |
|---|---|---|---|
| PZ | Qershor 2020 | 1:100/1:150 | A0 |

Legjendë Gjelbërimi






Plan
Shkalla: 1/50




Prerje
Shkalla: 1/50

## Legjenda e materialeve:

| Ground Covering | Rifinituraë e Sheshit | Symbol |
|---|---|---|
| | | M |
| Concrete Path with white Pebble Stone | Beton me gure te bardhe | M0 |
| Dolomit | Dolumit | M1 |
| Thin Inox Kerb 1x25 | Profil inoksi | M2 |
| Standart Concrete Paving Bricks 10x10x20 cm | Plaka standarte betoni me madhesi 10x10x20cm | M3 |
| Pervious Concrete | Beton poroz | M4 |
| Pigmented Pink Concrete | Beton I pigmentuar ngjyre roze | M5 |
| Pigmented sand Color Concrete | Beton I pigmentuar ngjyre rere | M6 |
| Glass balustrade | Parmak xhami | M7 |
| Crashed Basalt Gravel (dark) | Basalt I thyer per zhavor (I erret) | M8 |
| Red colored asphalt | Asfalt ngjyre roze | M9 |
| Large format local Stone Tiles 2 different kinds: one for 'Mist' one for 'Water Walls' | Plaka guri lokal te formateve te medha 2 loje te ndryshme : nje per 'Mist' dhe nje per 'Water Walls' | M10 |
| Rock | Gure te permasave natyrore | M11 |
| Grey concrete- natural smooth cast | Beton gri- me siperfaqe naturale | M12 |
| Brushed Concrete | Beton me krijge cimento dhe kuarc I furzuar | M13 |
| EPDM sportsfloor | EPDM per dyshemet sportive | M14 |
| Concrete supportet wall structure | Mure suportues prej betoni | M15 |
| Standart Asphalt | Asfalt standart | M16 |
| Pigmented concrete borderstone | Bordur betoni I pigmentuar | M17 |
| Polished concrete entrance of the circles | Beton I rashinuar hyrja e rratheve | M18 |
| Concrete borderstone 40x20 cm | Bordur betoni 40x20 cm | M19 |
| Concrete borderstone dolomit color 20x20 | Bordur betoni ngjyr dolomiti 20x20 | M20 |
| Concrete borderstone 20x20 | Bordur betoni 20x20 | M21 |
| | | G |
| Grass | Bar | G |
| Normal lawn grass | Bar normal | G 1.1 |
| Dry tolerant grass | Bar tolerant ndaj thatesires | G 1.2 |
| Ground covering plants | Bime shumevjecare | G 1.3 |
| Meadow - Seed mix | Livadh - Perzierje farash | G 1.4 |
| Sand | Rere | G2 |
| | | E |
| Lighting Poles | Ndricuesa | E1 |
| Trash Bins | Kosha mbeturinash | E2 |
| Movable Furnitures | Mobilje te levizshme | E3 |
| Sand colored concrete with textile print in framework | Beton me ngjyre rere me armatura te tekstunaara | E4 |
| Polished concrete bench | Beton I rashinuar per stolat | E5 |
| Natural Stone stairs | Shkalle me gure natyral | E6 |
| Slides in inox | Rrëshqitese inoksi | E7 |
| Pre fabricated concrete wall element (light color) - Claustra | Murale prej betoni I parafabrikuar per murin me ngjyre te hapur - Klaustra | E8 |
| Stone rocks fit as furnitures | Gure natyrore per ulese | E9 |
| Fence for the basket core | Rrjete per fushen e basketbollit | E10 |
| Pergola structure: pre fab concrete columns + galvanized metal beam | Struktura e pergolas: kollona prej betoni te parafabrikuara me trare metalik te galvanizuar | E11 |
| Rock | Gure te permasave te medha | E12 |
| Inox Bicycle rack | Parkim bicikletash prej inoksi | E13 |
| Playground element in wood | Elemente prej drurit per kendin e femijeve | E14 |
| Playground element in colored concrete | Elemente prej betoni te pigmentuar per kendin e femijeve | E15 |
| Playground element in metal | Elemente metalike per kendin e femijeve | E16 |
| Trampoline (woven polypropylene, steel springs, safete mat) | Trampoline | E17 |
| Basket | Koshat e basketbollit | E18 |
| Local stone cylinder pedestral | Cilinder me gure lokal per bustin | E19 |
| Cat eyes | Dordura te shtrira | E20 |
| Metalic profile for the sphere | Profil metalik per sferen kacavjerese | E21 |

## Legjenda e Detajeve:

| Symbol | Naming | Emertimi |
|---|---|---|
| | | |
| D1 | Inox kerb between dolomit and red asphalt | Profil inoksi midis dolomitit dhe asfaltit te kuq |
| D2 | Red asphalt meets treepit | Lidhja e asfaltit me rrethin e pemes |
| D3 | Inox bicycle parking | Parkim bicikletash prej inoksi |
| D4 | Dolomit meets vegetation | Lidhja e dolomitit me gjelberimin |
| D5 | Creek bench | Stoli I proojit |
| D6 | Connection of the inox swings | Themeli i inoksit te lishareses |
| D7 | Concrete borderstone on the edges | Bordure betoni ne cepat e parkut |
| D8 | Foundations of the gallery | Themelet e galerise |
| D9 | Sublayers of the emergency passage | Nenshtresat e kalimit te emergjencave |
| D10 | Concrete bench on the playscape | Stoli I betonit ne kendin e lojrave |
| D11 | Entrance of the circles with elements | Detaji I hyrjes se rratheve me elemente |
| D12 | Sublayers of the water circles | Nenshtresat e rratheve me uje te vazhdueshem |
| D13 | Connection of dolomit with the concrete tiles 20x10x10 | Lidhja e dolomitit me pllakat e betonit import 20x10x10 |
| D14 | Connection of asphalt with the concret tiles 20x10x10 | Lidhja e asfaltit me pllakat e betonit import 20x10x10 |
| D15 | Border at the bus stop | Bordura ne stacionin e autobusit |
| D16 | Border of the street | Bordura e rruges |
| D17 | Detail of the drainage at the street | Detaji I drenazhimit ne rruge |
| D18 | Drainage of the rain water of the gallery | Drenazhimi I ujit te soletes se galerise |
| D19 | Detail of the balustrade of the gallery | Detaji I balustrades se galerise |
| D20 | Detail of the wall on the edge of the park | Detaji I murit dhe stolit ne fund te parkut |
| D21 | Detail of the drainage outside the circles | Detaji I drenazhimit jashte rratheve |
| D22 | Drainage detail in the edges of the park | Detaji I drenazhimit ne cepat e parkut |
| D23 | Drainage detail of Balance circle | Detaji I drenazhimit te rrethit Balance |
| D24 | Drainage detail inside the circles | Detaji I drenazhimit brenda rratheve |
| D25 | Detail of the bench around the circles | Detaji I betonit per ulese rreth rratheve |
| D26 | Foundation of the Walled garden | Themeli I kopshtit te mbyllur |
| D27 | Longitudional section of the gallery | Prerja terthore e galerise |
| D28 | Foundation of the basket fence and the EPDM | Themeli I gardhit te basketbollit dhe lidhja me EPDM |
| D29 | Connection of dolomit with pervious concrete | Lidhja e dolomitit me betonin e pastert |
| D30 | Connection of pervious concrete with the concrete import tiles 20x10x10 | Lidhja e betonit te paster me pllakat e betonit import 20x10x10 |
| D31 | Detail of the mountain sublayers | Detaji I shtresave te malit |
| D32 | Detail of the silent garden sublayers | Detaji I shtresave te kopshtit te qete |
| D33 | Details of the sublayers of the trampoline | Detaji I nenshtresave te trampolines |
| D34 | Detail of the connection of pebble stone with dolomit | Detaji I lidhjes se gurit te zallit me dolomitin |
| D35 | Detail of the drainage between the wall and slab | Detaji I drenazhimit ne lidhjen e murit me dyshemen |
| D36 | Detail of the wall section with the circle opening | Detaji I prerjes se murit me hapjen rrethore |
| D37 | Detail of the wall section with the square opening | Detaji I prerjes se murit me hapjen katrore |



## Legjendë Gjelbërimi




Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.
Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi

**Klient:** Fondi Shqiptar i Zhvillimit

| | | |
|---|---|---|
| XDGA<br>International Studio (INT)<br>Studio Ndërkombetare | | Firma:<br>Lexuar dhe aprovuar |
| iRI<br>Local Architecture Office (LOC)<br>Studio Lokale Arkitekture (VËND)<br>Gent Agolli | N.6844 | Firma:<br>Lexuar dhe aprovuar |
| PIRO KOKALARI<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 0305/1 | Firma:<br>Lexuar dhe aprovuar |
| LUAN MYRTAJ<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 1248/3 | Firma:<br>Lexuar dhe aprovuar |
| HYDRO&ENERGY<br>MEP Engineering (LOC)<br>Hidro,Mekanik (VËND)<br>Nikolin Risilia, Artur Dado | N . 5820 / 3 | Firma:<br>Lexuar dhe aprovuar |
| Eurotest<br>Electrical Engineer (LOC)<br>Inxhinier Elektrik (VËND)<br>Saimir Salaj | N.6700/1 | Firma:<br>Lexuar dhe aprovuar |

ALL DIMENSIONS HAVE TO BE VERIFIED BY THE CONTRACTOR ON TE CONSTRUCTION SITE

IMPORTANT: These drawings are property of iRI, Rruga DERVISH HIMA, nr 8 kati i pare – 1001 TIRANA. Copy, multiplication or distribution inbetween parties of these plans (or any part of it) without written permission of iRI is prohibited.

TË GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORI NË VËND

E RËNDËSISHME: Këto vizatime janë pronë e iRI, Rruga DERVISH HIMA, nr 8 kati i parë – 1001 TIRANË. Kopjimi, shumëfishimi apo shpërndarja e këtyre vizatimeve (apo pjesëve të tyre) pa lejen me shkrim të iRI është e ndaluar.

| disiplina | numri i fletes: | |
|---|---|---|
| A | 18/2 | N2. LENDINE/ PEME |

| faza: | data: | shkalla: | formati: |
|---|---|---|---|
| PZ | Qershor 2020 | 1:50 | A0 |

Plan




Diameter 9m
Perimeter 28 m
Siperfaqe 64 m²




Plani dhe hapesira intersticiale

Legjenda e materialeve

| Ground Covering | Rifinituat e Sheshit | Symbol |
|---|---|---|
| | | M |
| Concrete Path with white Pebble Stone | Beton me gure te bardhe | M0 |
| Dolomit | Dolumit | M1 |
| Thin Inox Kerb 1x25 | Profil inoksi | M2 |
| Standart Concrete Paving Bricks 10x10x20 cm | Pllaka standerte betoni me madhesi 10x10x20cm | M3 |
| Pervious Concrete | Beton poroz | M4 |
| Pigmented Pink Concrete | Beton I pigmentuar ngjyre roze | M5 |
| Pigmented sand Color Concrete | Beton I pigmentuar ngjyre rere | M6 |
| Glass balustrade | Parmak xhami | M7 |
| Crashed Basalt Gravel (dark) | Bazalt I thyer per zhavor (I erret) | M8 |
| Red colored asphalt | Asfalt ngjyre roze | M9 |
| Large format local Stone Tiles 2 different kinds: one for 'Mist' one for 'Water Walls' | Pllaka guri lokal te formatetve te medha 2 llloje te ndryshme : nje per 'Mist' dhe nje per 'Water Walls' | M10 |
| Rock | Gure te permasave natyrore | M11 |
| Grey concrete- natural smooth cast | Beton gri- me siperfaqe natyrale | M12 |
| Brushed Concrete | Beton me kripe cimento dhe kuarc I furçuar | M13 |
| EPDM sportsfloor | EPDM per dyshemet sportive | M14 |
| Concrete supportet wall structure | Mure suportues prej betoni | M15 |
| Standart Asphalt | Asfalt standart | M16 |
| Pigmented concrete borderstone | Bordur betoni I pigmentuar | M17 |
| Polished concrete entrance of the circles | Beton I rashinuar hyrja e rratheve | M18 |
| Concrete borderstone 40x20 cm | Bordur betoni 40x20 cm | M19 |
| Concrete borderstone dolumit color 20x20 | Bordur betoni ngjyr dolomiti 20x20 | M20 |
| Concrete borderstone 20x20 | Bordur betoni 20x20 | M21 |
| | | G |
| Grass | Bar | G |
| Normal lawn grass | Bar normal | G 1,1 |
| Dry tolerant grass | Bar tolerant ndaj thatesires | G 1,2 |
| Ground covering plants | Bime shumevejcare | G 1,3 |
| Meadow - Seed mix | Livadh - Perzierje farash | G 1,4 |
| Sand | Rere | G2 |
| | | E |
| Lighting Poles | Ndricuesa | E1 |
| Trash Bins | Kosha mbeturinash | E2 |
| Movable Furnitures | Mobilje te levizshme | E3 |
| Sand colored concrete with textile print in framework | Beton me ngjyre rere me armatura te tekstunara | E4 |
| Polished concrete bench | Beton I rashinuar per stolat | E5 |
| Natural Stone stairs | Shkalle me gure natyral | E6 |
| Slides in inox | Rreshkitese inoksi | E7 |
| Pre fabricated concrete wall element (light color) - Claustra | Elemente prej betoni I parafabrikuar per murin me ngjyre te hapur - Klaustra | E8 |
| Stone rocks fit as furnitures | Gure natyrore per ulese | E9 |
| Fence for the basket core | Rrjete per fushen e basketbollit | E10 |
| Pergola structure: pre fab-concrete columns + galvanized metal beam | Struktura e pergolas: kollona prej betoni te parafabrikuara me trare metalik te galvanizuar | E11 |
| Rock | Gure te permasave te medha | E12 |
| Inox Bicycle rack | Parkim biciketash prej inoksi | E13 |
| Playground element in wood | Elemente prej druri per kendin e femijeve | E14 |
| Playground element in colored concrete | Elemente prej betoni te pigmentuar per kendin e femijeve | E15 |
| Playground element in metal | Elemente metalike per kendin e femijeve | E16 |
| Trampoline (woven polypropylene, steel springs, safete mat) | Trampoline | E17 |
| Basket | Koshat e basketbollit | E18 |
| Local stone cylinder pedestral | Cilinder me gure lokal per bustin | E19 |
| Cat eyes | Dordura te shtrira | E20 |
| Metalic profile for the sphere | Profil metalik per sferen kacavjerese | E21 |

Legjenda e detajeve:

| Detail list/Lista e detajeve | | | |
|---|---|---|---|
| Symbol | Naming | Emertimi | Circles indication |
| | | | |
| D1 | Inox kerb between dolumit and red asphalt | Profil inoksi midis dolomitit dhe asfaltit te kuq | N3/W3 |
| D2 | Roundabout meets asphalt | Rrethrrotullimi takohet me asfaltin | N1 |
| D3 | Inox bicycle parking | Parkim biciketash prej inoksi | N3/W3 |
| D4 | Dolumit meets vegetation | Lidhaj e dolomitit me gjelberimin | N2/N3/N5/N6/N7/N8/N9/E1/E3/E4/E7/E8/S1 /S2/S3/S6/W1/W2/W3/W4/W7/W8/W9 |
| D5 | Creek bench | Stoli I prijit | N4 |
| D6 | Connection of the inox swings | Themeli I ankisit te lisharesves | W8 |
| D7 | Concrete borderstone on the edges | Bordure betoni ne cepat e parkut | Edges of the park |
| D8 | Foundations of the gallery | Themelet e galerise | Gallery |
| D9 | Sublayers of the emergency passage | Nenshtresat e kalimit te emergencave | Emergency passage |
| D10 | Concrete bench onf the playscape | Stoli I betonit ne kendin e lojrave | E2/W6 |
| D11 | Entrance of the circles with elements | Detaj I hyrjes se rratheve me elemente | E2/W6 |
| D12 | Sublayers of the water circles | Nenshtresat e rratheve me uje te vazhdueshem | E6/S4 |
| D13 | Connection of dolumit with the concrete tiles 20x10x10 | Lidhja e dolomitit me pllakat e betonit import 20x10x10 | N8 |
| D14 | Connection of asphalt with the concret tiles 20x10x10 | Lidhja e asfaltit me pllakat e betonit import 20x10x10 | N8 |
| D15 | Border at the bus stop | Bordura ne stacionin e autobusit | N8 |
| D16 | Border of the street | Bordura e rruges | Road |
| D17 | Detail of the drainage at the street | detaj I drenazhimit ne rruge | Road |
| D18 | Drainage of the rain water of the gallery | Drenazhimi I ujit te siperm se galerise | Gallery |
| D19 | Detail o fthe balustrade of the gallery | Detaj I balustrades se galerise | Gallery |
| D20 | Detail of the wall on the edge of the park | Detaj I murit dhe stolit ne fund te parkut | Park south limit |
| D21 | Detail of the drainage outside the circles | Detaj I drenazhimit jashte rratheve | |
| D22 | Drainage detail in the edges of the park | Detaj I drenazhimit ne cepat e parkut | |
| D23 | Drainage detail of Balance circle | Detaj I drenazhimit te rrethit Balance | E10 |
| D24 | Drainage detail inside the circles | Detaj I drenazhimit brenda rratheve | |
| D25 | Detail of the bench around the circles | Detaj I betonit per ulese rreth rratheve | N10 |
| D26 | Foundation of the Walled garde | Themeli I kopshitit te mbyllur | E5 |
| D27 | Longitudional section of the gallery | Prerja terthore e galerise | Gallery |
| D28 | Foundation of the basket fence and the EPDM | Themeli I gardhit te basketbollit dhe lidhja me EPDM | S1 |
| D29 | Connection of dolumit with pervious concrete | Lidhja e dolomitit me betonin e pasterr | N8 |
| D30 | Connection of pervious concrete with the concrete import tiles 20x10x10 | Lidhja e betonit te paster me pllakat e betonit import 20x10x10 | N8 |
| D31 | Detail of the mountain sublayers | Detaj I shtresave te malit | W9 |
| D32 | Detail of the silent garden sublayers | Detaj I shtresave te kopshitit te qete | W1 |
| D33 | Details of the sublayers of the trampoline | Detaj I nenshtresave te trampolines | W5 |
| D34 | Detail of connection of pebble stone with dolumit | Detaj I lidhjes se guriit te zallit me dolomitin | Promenade |
| D35 | Detail of the drainage between the wall and slab | Detaj I drenazhimit ne lidhjen e murit me dyshemen | Sunken Square |
| D36 | Detail of the wall section with the circle openning | Detaj I prerjes se murit me hapjen rrethore | Sunken Square |
| D37 | Detail of the wall section with the square openning | Detaj I prerjes se murit me hapjen katrore | Sunken Square |



Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.
Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.

Aksonometri




Prerje

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi

**Klient:** Fondi Shqiptar i Zhvillimit

| | | |
|---|---|---|
| **XDGA**<br>International Studio (INT)<br>Studio Ndërkombëtare | | Firma:<br>Lexuar dhe aprovuar |
| **iRI**<br>Local Architecture Office (LOC)<br>Studio Lokale Arkitekture (VENDI)<br>Gent Agolli | N.6844 | Firma:<br>Lexuar dhe aprovuar |
| PIRO KOKALARI<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VENDI) | K 0305/1 | Firma:<br>Lexuar dhe aprovuar |
| LUAN MYRTAJ<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VENDI) | K 1248/3 | Firma:<br>Lexuar dhe aprovuar |
| HYDRO&ENERGY<br>MEP Engineering (LOC)<br>Hidro-Mekanik (VENDI)<br>Nikolin Risilia, Artur Dado | N . 5820 / 3 | Firma:<br>Lexuar dhe aprovuar |
| **Eurotest**<br>Electrical Engineer (LOC)<br>Inxhinier Elektrik (VENDI)<br>Saimir Salaj | N.6700/1 | Firma:<br>Lexuar dhe aprovuar |


ALL DIMENSIONS HAVE TO BE VERIFIED BY THE CONTRACTOR ON TE CONSTRUCTION SITE

IMPORTANT: These drawings are property of iRI, Rruga DERVISH HIMA, nr 8 kati i pare – 1001 TIRANA. Copy, multiplication or distribution inbetween parties of these plans (or arry part of it) without written permission of iRI is prohibited.

TË GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORI NË VËND

E RËNDËSISHME: Këto vizatime janë pronë e iRI, Rruga DERVISH HIMA, nr 8 kati i parë – 1001 TIRANË. Kopjimi, shumëfishimi apo shpërndarja e këtyre vizatimeve (apo pjesëve të tyre) pa lejen me shkrim të iRI është e ndaluar.


| disiplina | numri i fletes: | |
|---|---|---|
| A | 18/3 | N3. PARKIM BICIKLETASH |

| faza: | data: | shkalla: | formati: |
|---|---|---|---|
| PZ | Qershor 2020 | 1:50 | A0 |




Diameter: 20
Perimeter: 62.83 m
Siperfaqe: 314.16 m²

## Plan
Shkalla: 1/50

## Legjenda e materialeve:

| Ground Covering | Rifinituat e Sheshit | Symbol |
|---|---|---|
| | | M |
| Concrete Path with white Pebble Stone | Beton me gure te bardhe | M0 |
| Dolomit | Dolumit | M1 |
| Thin Inox Kerb 1x25 | Profil Inoksi | M2 |
| Standart Concrete Paving Bricks 10x10x20 cm | Pllaka standarte betoni me madhesi 10x10x20cm | M3 |
| Pervious Concrete | Beton poroz | M4 |
| Pigmented Pink Concrete | Beton i pigmentuar ngjyre roze | M5 |
| Pigmented sand Color Concrete | Beton i pigmentuar ngjyre rere | M6 |
| Glass balustrade | Parmak xhami | M7 |
| Crashed Basalt Gravel (dark) | Bazalt I thyer per zhavor (I erret) | M8 |
| Red colored asphalt | Asfalt ngjyre roze | M9 |
| Large format local Stone Tiles 2 different kinds; one for 'Mist' one for 'Water Walls' | Pllaka guri lokal te formateve te medha 2 lloje te ndryshme ; nje per 'Mist' dhe nje per 'Water Walls' | M10 |
| Rock | Gure te permasave natyrore | M11 |
| Grey concrete- natural smooth cast | Beton gri- me siperfaqe natyrale | M12 |
| Brushed Concrete | Beton me krijge cimento dhe kuarc I furzuar | M13 |
| EPDM sportsfloor | EPDM per dyshemet sportive | M14 |
| Concrete supportet wall structure | Mure suportues prej betoni | M15 |
| Standart Asphalt | Asfalt standart | M16 |
| Pigmented concrete borderstone | Bordur betoni I pigmentuar | M17 |
| Polished concrete entrance of the circles | Beton I rashinuar hyrja e ratheve | M18 |
| Concrete borderstone 40x20 cm | Bordur betoni 40x20 cm | M19 |
| Concrete borderstone dolomit color 20x20 | Bordur betoni ngjyr dolomiti 20x20 | M20 |
| Concrete borderstone 20x20 | Bordur betoni 20x20 | M21 |
| | | G |
| Grass | Bar | G |
| Normal lawn grass | Bar normal | G 1.1 |
| Dry tolerant grass | Bar tolerant ndaj thatesires | G 1.2 |
| Ground covering plants | Bime shumevjeçare | G 1.3 |
| Meadow - Seed mix | Livadh - Perzierje farash | G 1.4 |
| Sand | Rere | G2 |
| | | E |
| Lighting Poles | Ndricuesa | E1 |
| Trash Bins | Kosha mbeturinash | E2 |
| Movable Furnitures | Mobile te levizshme | E3 |
| Sand colored concrete with textile print in framework | Beton me ngjyre rere me armatura te tekstuluara | E4 |
| Polished concrete bench | Beton I rashinuar per stolat | E5 |
| Natural Stone stairs | Shkalle me gure natyrat | E6 |
| Slides in inox | Rrëshqitese inoksi | E7 |
| Pre fabricated concrete wall element (light color) - Claustra | Elemente prej betoni I parafabrikuar per murin me ngjyre te hapur - Klaustra | E8 |
| Stone rocks fit as furnitures | Gure natyrore per ulese | E9 |
| Fence for the basket core | Rrjete per fushen e basketbollit | E10 |
| Pergola structure: pre fab concrete columns + galvanized metal beam | Struktura e pergolas: kollona prej betoni te parafabrikuara me trare metalik te galvanizuar | E11 |
| Rock | Gure te permasave te medha | E12 |
| Inox Bicycle rack | Parkim bicikletash prej inoksi | E13 |
| Playground element in wood | Elemente prej druri per kendin e femijeve | E14 |
| Playground element in colored concrete | Elemente prej betoni te pigmentuar per kendin e femijeve | E15 |
| Playground element in metal | Elemente metalike per kendin e femijeve | E16 |
| Trampoline (woven polypropylene, steel springs, safete mat) | Trampoline | E17 |
| Basket | Koshat e basketbollit | E18 |
| Local stone cylinder pedestral | Cilinder me gure lokal per bustin | E19 |
| Cat eyes | Dordura te shtirra | E20 |
| Metalic profile for the sphere | Profil metalik per sferen kacavjerese | E21 |

## Legjenda e Detajeve:

| Symbol | Naming | Emertimi |
|---|---|---|
| | | |
| D1 | Inox kerb between dolomit and red asphalt | Profil inoksi midis dolomitit dhe asfaltit te kuq |
| D2 | Red asphalt meets treepit | Lidhja e asfaltit me rrethin e pemes |
| D3 | Inox bicycle parking | Parkim bicikletash prej inoksi |
| D4 | Dolomit meets vegetation | Lidhja e dolomitit me gjelberimin |
| D5 | Creek bench | Stoli I proijt |
| D6 | Connection of the inox swings | Themeli I inoksit te lishareses |
| D7 | Concrete borderstone on the edges | Bordure betoni ne cepat e parkut |
| D8 | Foundations of the gallery | Themelet e galerise |
| D9 | Sublayers of the emergency passage | Nenshtresat e kalimit te emergjencave |
| D10 | Concrete bench on the playscape | Stoli I betonit ne kendin e lojrave |
| D11 | Entrance of the circles with elements | Detaji I hyrjes se ratheve me elemente |
| D12 | Sublayers of the water circles | Nenshtresat e ratheve me uje te vazhdueshem |
| D13 | Connection of dolomit with the concrete tiles 20x10x10 | Lidhja e dolomitit me pllakat e betonit import 20x10x10 |
| D14 | Connection of asphalt with the concret tiles 20x10x10 | Lidhja e asfaltit me pllakat e betonit import 20x10x10 |
| D15 | Border at the bus stop | Bordura ne stacionin e autobusit |
| D16 | Border of the street | Bordura e rruges |
| D17 | Detail of the drainage at the street | Detaji I drenazhimit ne rruge |
| D18 | Drainage of the rain water of the gallery | Drenazhimi I ujit te soletes se galerise |
| D19 | Detail of the balustrade of the gallery | Detaji I balustrades se galerise |
| D20 | Detail of the wall on the edge of the park | Detaji I murit dhe stolit ne fund te parkut |
| D21 | Detail of the drainage outside the circles | Detaji I drenazhimit jashte ratheve |
| D22 | Drainage detail in the edges of the park | Detaji I drenazhimit ne cepat e parkut |
| D23 | Drainage detail of Balance circle | Detaji I drenazhimit te rrethit Balance |
| D24 | Drainage detail inside the circles | Detaji I drenazhimit brenda ratheve |
| D25 | Detail of the bench around the circles | Detaji I betonit per ulese rreth ratheve |
| D26 | Foundation of the Walled garden | Themeli I kopshtit te mbyllur |
| D27 | Longitudional section of the gallery | Prerja terthore e galerise |
| D28 | Foundation of the basket fence and the EPDM | Themeli I gardhit te basketbollit dhe lidhja me EPDM |
| D29 | Connection of dolomit with pervious concrete | Lidhja e dolomitit me betonin e pastert |
| D30 | Connection of pervious concrete with the concrete import tiles 20x10x10 | Lidhja e betonit te paster me pllakat e betonit import 20x10x10 |
| D31 | Detail of the mountain sublayers | Detaji I shtresave te malit |
| D32 | Detail of the silent garden sublayers | Detaji I shtresave te kopshtit te qete |
| D33 | Details of the sublayers of the trampoline | Detaji I nenshtresave te trampolines |
| D34 | Detail of the connection of pebble stone with dolomit | Detaji I lidhjes se gurit te zallit me dolomitin |
| D35 | Detail of the drainage between the wall and slab | Detaji I drenazhimit ne lidhjen e murit me dyshemen |
| D36 | Detail of the wall section with the circle opening | Detaji I prerjes se murit me hapjen rrethore |
| D37 | Detail of the wall section with the square opening | Detaji I prerjes se murit me hapjen katrore |



Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.
Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.




Diameter: 20
Perimeter: 62.83 m
Siperfaqe: 314.16 m²

## Plan
Shkalla: 1/100

## Prerje
Shkalla: 1/100

Legjendë Gjelbërimi

- Albizia julibrizzin e re
- Albizia julibrizzin 'Summer Chocolate' e re
- Acacia dealbata e re
- Acacia longifolia e re
- Acacia floribunda e re
- G1.1. Bar normal

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza: Projekt Zbatimi

**Klient:** Fondi Shqiptar i Zhvillimit

| | | |
|---|---|---|
| **XDGA** International Studio Studio Ndërkombëtare (INT) | | Firma: Lexuar dhe aprovuar |
| **iRI** Local Architecture Office Studio Lokale Arkitekture Gent Agolli (LOC) (VENDI) | N.6844 | Firma: Lexuar dhe aprovuar |
| PIRO KOKALARI Structural Engineer Inxhinier strukturor (LOC) (VENDI) | K 0305/1 | Firma: Lexuar dhe aprovuar |
| LUAN MYRTAJ Structural Engineer Inxhinier strukturor (LOC) (VENDI) | K 1248/3 | Firma: Lexuar dhe aprovuar |
| HYDRO&ENERGY MEP Engineering Hidro-Mekanik Nikolin Risilia, Artur Dado (LOC) (VENDI) | N . 5820 / 3 | Firma: Lexuar dhe aprovuar |
| **Eurotest** Electrical Engineer Inxhinier Elektrik Saimir Salaj (LOC) (VENDI) | N.6700/1 | Firma: Lexuar dhe aprovuar |

ALL DIMENSIONS HAVE TO BE VERIFIED BY THE CONTRACTOR ON TE CONSTRUCTION SITE

IMPORTANT: These drawings are property of iRI, Rruga DERVISH HIMA, nr 8 kati i pare – 1001 TIRANA. Copy, multiplication or distribution inbetween parties of these plans (or any part of it) without written permission of iRI is prohibited.

TË GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORI NË VËND

E RËNDËSISHME: Këto vizatime janë pronë e iRI, Rruga DERVISH HIMA, nr 8 kati i parë – 1001 TIRANË. Kopjimi, shumëfishimi apo shpërndarja e këtyre vizatimeve (apo pjesëve të tyre) pa lejen me shkrim të iRI është e ndaluar.

| disiplina | numri i fletes: | |
|---|---|---|
| A | 18/4 | N.4 PRROI |

| faza: | data: | shkalla: | formati: |
|---|---|---|---|
| PZ | Qershor 2020 | 1:50 / 1:100 | A0 |




## Plan
Shkalla: 1/50




Diameter: 11
Perimeter: 34.56 m
Siperfaqe: 95 m²

## Plan
Shkalla: 1/50

## Legjendë Gjelbërimi



Peme ekzistuese

Pinus sylvestris
e re

Sophora japonica
e re

G1.1. Bar normal

## Legjenda e materialeve:

| Ground Covering | Rifinituraë e Sheshit | Symbol |
|---|---|---|
| | | M |
| Concrete Path with white Pebble Stone | Beton me gure te bardhe | M0 |
| Dolomit | Dolumit | M1 |
| Thin Inox Kerb 1x25 | Profili inoksi | M2 |
| Standart Concrete Paving Bricks 10x10x20 cm | Plaka standarte betoni me madhesi 10x10x20cm | M3 |
| Pervious Concrete | Beton poroz | M4 |
| Pigmented Pink Concrete | Beton i pigmentuar ngjyre roze | M5 |
| Pigmented sand Color Concrete | Beton i pigmentuar ngjyre rere | M6 |
| Glass balustrade | Parmak xhami | M7 |
| Crashed Basalt Gravel (dark) | Bazalt I thyer per zhavor (I erret) | M8 |
| Red colored asphalt | Asfalt ngjyre roze | M9 |
| Large format local Stone Tiles 2 different kinds: one for 'Mist' one for 'Water Walls' | Plaka guri lokal te formatetve te medha 2 lloje te ndryshme : nje per 'Mist' dhe nje per 'Water Walls' | M10 |
| Rock | Gure te permasave natyrore | M11 |
| Grey concrete- natural smooth cast | Beton gri- me siperfaqe natyrale | M12 |
| Brushed Concrete | Beton me krijge cimento dhe kuarc I furzuar | M13 |
| EPDM sportsfloor | EPDM per dyshemet sportive | M14 |
| Concrete supportet wall structure | Mure suportues prej betoni | M15 |
| Standart Asphalt | Asfalt standart | M16 |
| Pigmented concrete borderstone | Bordur betoni I pigmentuar | M17 |
| Polished concrete entrance of the circles | Beton I rashinuar hyrja e rratheve | M18 |
| Concrete borderstone 40x20 cm | Bordur betoni 40x20 cm | M19 |
| Concrete borderstone dolomit color 20x20 | Bordur betoni ngjyr dolomiti 20x20 | M20 |
| Concrete borderstone 20x20 | Bordur betoni 20x20 | M21 |
| | | G |
| Grass | Bar | G |
| Normal lawn grass | Bar normal | G 1.1 |
| Dry tolerant grass | Bar tolerant ndaj thatesires | G 1.2 |
| Ground covering plants | Bime shumevjeçare | G 1.3 |
| Meadow - Seed mix | Livadh - Perzierje farash | G 1.4 |
| Sand | Rere | G2 |
| | | E |
| Lighting Poles | Ndricuesa | E1 |
| Trash Bins | Kosha mbeturinash | E2 |
| Movable Furnitures | Mobilje te levizshme | E3 |
| Sand colored concrete with textile print in framework | Beton me ngjyre rere me armatura te tekstunuara | E4 |
| Polished concrete bench | Beton I rashinuar per stolat | E5 |
| Natural Stone stairs | Shkalle me gure natyrat | E6 |
| Slides in inox | Rrëshqitëse inoksi | E7 |
| Pre fabricated concrete wall element (light color) - Claustra | Mure prej betoni I parafabrikuar per murin me ngjyre te hapur - Klaustra | E8 |
| Stone rocks fit as furnitures | Gure natyrore per ulese | E9 |
| Fence for the basket core | Rrjete per fushen e basketbollit | E10 |
| Pergola structure: pre fab concrete columns + galvanized metal beam | Struktura e pergolas: kollona prej betoni te parafabrikuara me trare metalik te galvanizuar | E11 |
| Rock | Gure te permasave te medha | E12 |
| Inox Bicycle rack | Parkim bicikletash prej inoksi | E13 |
| Playground element in wood | Elemente prej druri per kendin e femijeve | E14 |
| Playground element in colored concrete | Elemente prej betoni te pigmentuar per kendin e femijeve | E15 |
| Playground element in metal | Elemente metalike per kendin e femijeve | E16 |
| Trampoline (woven polypropylene, steel springs, safete mat) | Trampoline | E17 |
| Basket | Koshat e basketbollit | E18 |
| Local stone cylinder pedestral | Cilinder me gure lokal per bustin | E19 |
| Cat eyes | Dordura te shtrira | E20 |
| Metalic profile for the sphere | Profil metalik per sferen kacavjerese | E21 |

## Legjenda e Detajeve:

| Symbol | Naming | Emertimi |
|---|---|---|
| | | |
| D1 | Inox kerb between dolomit and red asphalt | Profili inoksi midis dolomitit dhe asfaltit te kuq |
| D2 | Red asphalt meets treepit | Lidhja e asfaltit me rrethin e pemes |
| D3 | Inox bicycle parking | Parkim bicikletash prej inoksi |
| D4 | Dolomit meets vegetation | Lidhja e dolomitit me gjelberimin |
| D5 | Creek bench | Stoli I proujt |
| D6 | Connection of the inox swings | Themeli i inoksit te lishareses |
| D7 | Concrete borderstone on the edges | Bordure betoni ne cepat e parkut |
| D8 | Foundations of the gallery | Themelet e galerise |
| D9 | Sublayers of the emergency passage | Nenshtresat e kalimit te emergjencave |
| D10 | Concrete bench on the playscape | Stoli I betonit ne kendin e lojrave |
| D11 | Entrance of the circles with elements | Detaji I hyrjes se ratheve me elemente |
| D12 | Sublayers of the water circles | Nenshtresat e ratheve me uje te vazhdueshem |
| D13 | Connection of dolomit with the concrete tiles 20x10x10 | Lidhja e dolomitit me pllakat e betonit import 20x10x10 |
| D14 | Connection of asphalt with the concret tiles 20x10x10 | Lidhja e asfaltit me pllakat e betonit import 20x10x10 |
| D15 | Border at the bus stop | Bordura ne stacionin e autobusit |
| D16 | Border of the street | Bordura e rruges |
| D17 | Detail of the drainage at the street | Detaji I drenazhimit ne rruge |
| D18 | Drainage of the rain water of the gallery | Drenazhimi I ujit te soletes se galerise |
| D19 | Detail of the balustrade of the gallery | Detaji I balustrades se galerise |
| D20 | Detail of the wall on the edge of the park | Detaji I murit dhe stolit ne fund te parkut |
| D21 | Detail of the drainage outside the circles | Detaji I drenazhimit jashte rratheve |
| D22 | Drainage detail in the edges of the park | Detaji I drenazhimit ne cepat e parkut |
| D23 | Drainage detail of Balance circle | Detaji I drenazhimit te rrethit Balance |
| D24 | Drainage detail inside the circles | Detaji I drenazhimit brenda ratheve |
| D25 | Detail of the bench around the circles | Detaji I betonit per ulese rreth ratheve |
| D26 | Foundation of the Walled garden | Themeli I kopshtit te mbyllur |
| D27 | Longitudional section of the gallery | Prerja terthore e galerise |
| D28 | Foundation of the basket fence and the EPDM | Themeli I gardhit te basketbollit dhe lidhja me EPDM |
| D29 | Connection of dolomit with pervious concrete | Lidhja e dolomitit me betonin e pastert |
| D30 | Connection of pervious concrete with the concrete import tiles 20x10x10 | Lidhja e betonit te paster me pllakat e betonit import 20x10x10 |
| D31 | Detail of the mountain sublayers | Detaji I shtresave te malit |
| D32 | Detail of the silent garden sublayers | Detaji I shtresave te kopshtit te qete |
| D33 | Details of the sublayers of the trampoline | Detaji I nenshtresave te trampolines |
| D34 | Detail of the connection of pebble stone with dolomit | Detaji I lidhjes se gurit te zallit me dolomitin |
| D35 | Detail of the drainage between the wall and slab | Detaji I drenazhimit ne lidhjen e murit me dyshemen |
| D36 | Detail of the wall section with the circle opening | Detaji I prerjes se murit me hapjen rrethore |
| D37 | Detail of the wall section with the square opening | Detaji I prerjes se murit me hapjen katrore |






## Prerje
Shkalla: 1/50

Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.
Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi

**Klient:** Fondi Shqiptar i Zhvillimit

| | | |
|---|---|---|
| XDGA<br>International Studio (INT)<br>Studio Nderkombetare | | Firma:<br>Lexuar dhe aprovuar |
| iRI<br>Local Architecture Office (LOC)<br>Studio Lokale Arkitekture (VËND)<br>Gent Agolli | N.6844 | Firma:<br>Lexuar dhe aprovuar |
| PIRO KOKALARI<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 0305/1 | Firma:<br>Lexuar dhe aprovuar |
| LUAN MYRTAJ<br>Structural Engineer (LOC)<br>Inxhinier strukturor (VËND) | K 1248/3 | Firma:<br>Lexuar dhe aprovuar |
| HYDRO&ENERGY<br>MEP Engineering (LOC)<br>Hidro-Mekanik (VËND)<br>Nikolin Risilia, Artur Dado | N . 5820 / 3 | Firma:<br>Lexuar dhe aprovuar |
| Eurotest<br>Electrical Engineer (LOC)<br>Inxhinier Elektrik (VËND)<br>Samir Salaj | N.6700/1 | Firma:<br>Lexuar dhe aprovuar |

ALL DIMENSIONS HAVE TO BE VERIFIED BY THE CONTRACTOR ON TE CONSTRUCTION SITE

IMPORTANT: These drawings are property of iRI, Rruga DERVISH HIMA, nr.8 kati i pare – 1001 TIRANË. Copy, multiplication or distribution inbetween parties of these plans (or any part of it) without written permission of iRI is prohibited.

TË GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORI NË VËND

E RËNDËSISHME: Këto vizatime janë pronë e iRI, Rruga DERVISH HIMA, nr.8 kati i parë – 1001 TIRANË. Kopjimi, shumëfishimi apo shpërndarja e këtyre vizatimeve (apo pjesëve të tyre) pa lejen me shkrim të iRI është e ndaluar.

| disiplina | numri i fletes: | |
|---|---|---|
| A | 18/5 | N5. PEMET EKZISTUESE |

| faza: | data: | shkalla: | formati: |
|---|---|---|---|
| PZ | Qershor 2020 | 1:50 | A0 |