



Plan



Legjenda e materialeve		
	Refshirat e Dështat	Symboli
Ground Covering		M
Thin black Paths with White Pebbles Stone	Beton me gurë të bardhë	M1
Dolomite	Dolomiti	M2
Thin black 125	Refshirat me gurë të bardhë	M3
Standard Concrete Paving Blocks 150x150xcm	Plaka standard me beton me madhësi 150x150xcm	M4
Perovskite concrete	Beton perovskit	M5
Pigmented Self Concrete	Beton i pigmentuar ngjyrë rreze	M6
Pigmented Sand Concrete	Beton i pigmentuar ngjyrë rreze	M7
Glue colored sand	Pamja shërbet	M8
Crushed basalt gravel (50x)	Saburët brejtë për shpatë (50x)	M9
Reddish cobalt asphalt	Afrit ngjyrë rreze	M10
Large format black Stone 120x120 cm 2 different color for "Water" one for "Water Walls"	Plaka gjatë të fortë për materiale të ndryshme të shpatës: një për "Ujë" dhe një për "Water Walls"	M11
Rock	Gurë të përmirësuar të mëdha	M12
Grey concrete natural smooth cut	Gurë të përmirësuar të mëdha	M13
Brushed Concrete	Gurë të përmirësuar të mëdha	M14
EPDM sportfloor	EPDM për sportime sportive	M15
Concrete support wall structure	Mur suportues për beton	M16
Standard Asphalt	Afrit standard	M17
Pigmented Asphalt	Beton i pigmentuar i pigmentuar	M18
Polished concrete entrance of the corridor	Plakë të poliruara hapësirë e korridorit	M19
Concrete concrete 40x20 cm	Betonor betonor 40x20 cm	M20
Concrete borderstone 20x10 cm	Betonor betonor ngjyrë dolomit 20x10 cm	M21
Concrete borderstone 20x20 cm	Betonor betonor 20x20 cm	M22
		G
Grass	Bar	G
Normal lawn grass	Bar normal	G.1
Dry tolerant grass	Bar tolerant ndaj thatësirës	G.2
Ground cover plants	Shumëvjeçarë	G.3
Meadow - Sand mix	Llosh - Përzierje fashë	G.4
	Rreze	G2
		E
Lighting poles	Nalëzat	E1
Trash Bins	Kosha mbeturndorësh	E2
Movable Furniture	Mobili i lëvizshëm	E3
Sand colored concrete with little light in framework	Beton ngjyrë rreze me armaturë të vogël të bardhë	E4
Polished concrete bench	Beton i lëvizshëm për ulje	E5
Natural Stone stairs	Shkallë gurë natyral	E6
Slabs in Stone	Plakë gurë natyral	E7
For Fabricated concrete wall elements light color - Chisla	Elemente prej betoni për parashitje për mur me ngjyrë të bardhë	E8
Stone rock face for walls	Gurë natyrorë për lëvizje	E9
Concrete for the basket core	Rrjetë prej betoni e basketbollit	E10
Translucent concrete for the basket core	Transparenca e betonit për rrjetë basketboll	E11
Concrete for the basket core	Rrjetë prej betoni për parashitje për mur me ngjyrë të bardhë	E12
Rock	Gurë të përmirësuar të mëdha	E13
Iron Bicycle rack	Parkim bicikletash prej inoksi	E14
Playground element in wood	Elemente prej shtriti për lojë	E15
Playground element in colored concrete	Elemente prej betoni të pigmentuar për lojë	E16
Playground element in metal	Elemente metalike për lojë	E17
Translucent element in polypropylene, steel springs, welded metal mesh	Transparenca	E18
Basket	Kosha e basketbollit	E19
Steel chain cylinder pedestal	Çikander me rreze prej çeliku	E20
Concrete	Beton	E21
Metallic profile for the sphere	Profil metalik për shtrirë konceptuale	E22

Legjenda e detajeve:

Detail list/ulisan & deskripsi			
Symbol	Naming	Emertion	Critics indication
01	Isok kerib between dolomit and red asphalt	Profiti insoki insoki dolomit the asphalt to kuq	N8/W3
02	Rundabout must asphalt	Pertemuan bundaran pada aspal	N5
03	How bridge passing	Perahu melintasi perahu sungai	N2/W3
04	Dulawa mekang vegetation	Luhai dolomit mekang the geberrinin	
05	Creek banks	Tanah erosi	N4
06	Connection of the two roads	Saluran sungai ke bukit	N8
07	Crosses borderland on the edges	Batas berdaerah bukan di tepak & perbukit	Edges of the park
08	Foundations of the gallery	Therment & galery	Gallery
09	Sideways of the emergency passage	Dulawa & sideway & sideway to emergency	Emergency passage
10	Crosses the creek, off the playground	Isok berdaerah ke sungai & wadi	L2/W6
11	Entrance of the benches with elements	Detail /Thyrin & arsitek & wadi elemente	L2/W6
12	Sideways of the water circles	Therment & rathew me & tepak to wadi/bukit	L6/S4
13	Connection of dolomit with the concrete line 20x10x10	Luhai dolomit mekang the plakak & beton to isok 20x10x10	N8
14	Connection of asphalt with the concrete line 20x10x10	Luhai dolomit mekang the plakak & beton isok 20x10x10	N8
15	Detail of the bus stop	Detail & rathew & rathew & beton isok	N8
16	Roofline of the street	Detail & rathew	N8
17	Detail of the rain water of the street	Detail /durenah & nuri	Road
18	Drainage of the drain water at the gutter	Durenah & nuri to selok & selok & galery	Gallery
19	Detail of the basketball of the gallery	Detail /basketball & nuri	Gallery
20	Detail of the wall on the edge of the park	Detail /murti the spot & wall & park	Park south limit
21	Detail of the drainage outside the circles	Detail /durenah & plakak rathew	
22	Drainage detail in the edges of the park	Detail /durenah & nuri & tepak & park	
23	Drainage detail of basket & circle	Detail /durenah & nuri & tepak & park	150
24	Drainage detail inside the circles	Detail /durenah & brenda rathew	
25	Detail of the bench around the circles	Detail /beton & per & alesi rathew	N10
26	Foundation of the World's Garden	Detail /durenah & rathew	Gallery
27	Longitudinal section of the gallery	Perisa rathew & alesi	Gallery
28	Foundation of the basket fence and the EPDM	Detail /gardi & basketball & the park the EPDM	51
29	Connection of dolomit with pervious concrete	Luhai & dolomit & beton & tepak	N8
30	Connection of pervious concrete with the concrete insert line 20x10x10	Luhai & beton & plakak & beton & beton isok 20x10x10	
31	Detail of the mountain sublayer	Detail /litrovisive & murti	AW9
32	Detail of the silent garden sublayers	Detail /litrovisive & koptip & jet	W1
33	Details of the sublayers of the rampstone	Detail /rentrorse & transpore	W5
34	Detail of connection of public zone with the wall	Detail /litrovis & jet & nuri & tepak & dolomit	Promenade
35	Detail of the damage between the wall and sublayer	Detail /durenah & nuri & plakak & murti & durenah	Emergency
36	Detail of the wall section with the circle covering	Detail /prejes & murti & nuri & rathew	Sunken Square
37	Detail of the wall section with the circle covering	Detail /prejes & murti & nuri & rathew	Sunken Square



Shenime:


Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.

Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indekseve qe gjendet nen emertimin A_PJ_11.

Detajet e kesaj flete jane detaje te cilat vlejne specifikisht vetem per rrethin e statujes se Isa Boletinit.

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi Klient: Fondi Shqiptar i Zhvillimit



disiplina	numri i fletes:	N.12 PODIUMI I ISA BOLETINIT		
A	18/12			
faza:	data:	shkalla:	formati:	N 
PZ	Qershor 2020	1:50	A0	



Ground Covering	Indonesian / English	Symbol
Concrete Path with white Pebble Stone	Beton nu gure to barbe	M
Dolomit	Dolomit	M1
Thin non Kerb 1x25	Profil Injeksi	M2
Standard Concrete Laying Bricks 10x20x20 cm	Beton brick lokal to membuat 10x20x20	M3
Previous Concrete	Beton pns	M4
Pigmented Pink Concrete	Beton pigmented ngyure rose	M5
Pigmented sand Color Concrete	Beton pigmented ngyure sere	M6
Glass balustrade	Pamank khani	M7
Crushed basalt Gravel (dark)	Basalt 1 layer per (hollow 1 error)	M8
Hard-walled asphalt	Pisak ng lokal to formasi to membuat 2 lops to ndryne / per Mist; dng nje per "Water Walls"	M9
Large formal local Stone Tiles 10x10 cm	Gure to permasive natyure	M10
Water Wall	Beton ng ng sorpane natyure	M11
Rock	Beton ng klupe Gendang dng kauri	M12
Grey concrete- natural smooth ash	Beton ng dyphenast opyure	M13
Brushed concrete	Mure supports ngj betoni	M14
Concrete support wall structure	Asfalt strand	M15
Standard Asphalt	Bordur betoni 1 pigmented	M16
Pigmented concrete borderstone	Beton 1 rashayur nyja e rathayre	M17
Concrete concrete entrance of the circles	Bordur betoni 40x20 cm	M18
Concrete borderstone 40x20 cm color 20x20	Beton betoni ngjre dolomit 20x20	M19
Concrete borderstone 20x20	Bordur betoni 20x20	M20
Grass	Bar	G
Normal lawn grass	Bar normal	G 1.
Very tolerant grass	Bar tolerant ndaj tharesure	G 1.2
Ground covering plants	Bime shummedgare	G 1.3
Seed	Ivane - Penjerise larash	G 2
Moss	Kerak	G 2.1
Lighting Posts	Midkuea	E
Path Bricks	Isoma mbuatshure	E1
Mobile Furniture	Mobilje to levisime	E2
Sand colored concrete with textile print in framework	Beton nu mengyure nje armatuira to jabakshure	E3
Polished concrete bench	Beton 1 rashayur per stolaj	E4
Natural Stone stairs	Shakille nu gure natyure	E5
Slides in sand	Beton ng betoni per betoni / paraparur	E6
Per-fabricated concrete wall element (light color) - Claustra	Klaustra nu mengyure to habur	E7
Stone rocks its its features	Gure natyure per lemp	E8
Fence for the basketball court	Beton ng fuses a basketbolli	E9
Perforated concrete wall structure	Struktura a ngporos; kolofna ngj	E10
Concrete columns - per faba concrete columns + galvanized metal beam	Beton ng fuses a basketbolli nu mengyure to habur	E11
Iron Bicycle rack	Gure to permasive to media	E12
Playground element in wood	Parkim biketolli ngj injeksi	E13
Playground element in colored concrete	Beton ngj injeksi per stolaj per injeksi	E14
Playground element in metal	Beton ngj injeksi per betoni 1 pigmented per kende	E15
Playground element in metal	Beton ngj injeksi per kende e kende	E16
Transpome (woven polypropylene, steel springs, safe net)	Transpome	E17
Basket	Koshat e basketbolli	E18
10 cm cylinder pedestal	Cilindere nu ngjre ngj per buslin	E19
Self-pays	Pordura to atitine	E20
Perforated metal for the sphere	Profil metalita per sfere; kankank	E21

Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.

Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indeksve qe gjendet nen emertimin A_PJ_11.

SHERBIME PROJEKTIMI
PER RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Faza Projekt Zbatimi Klient: Fondi Shqiptar i Zhvillimit

XDGA

International Studio
Studio Merckelbach

Firma:
Lexuar dhe aprova:

iRI *N.6844* Firma:
Lexuar dhe aprovar

Local Architecture Office
Studio Lokale Arkitekture
Gent Agosti

(LOC)
(FIRM)

PIRO KOKALARI *K 0305/1* **Firma:**
 Lexar dhe aprovuar
 Structural Engineer (JOC)
 Injeneri struktural (MIN)

LUAN MYRTAJ K 1248/3
Structural Engineer 600
Inzhiner strukturov 600

MEP Engineering
Hydro-Mekanik
Nicola Pissia, Arturo Dado

Eurotest *N.6700/1* **Firma:**
Lexuar dhe aprovuar

Electrical Engineer 600
Inshienj Eelsh 6000

ALL DIMENSIONS HAVE TO BE VERIFIED BY PRUGA CONTRACTOR ON THE CONSTRUCTION SITE

IMPORTANT: These drawings are property of IRP, Pruga DERFISH HMA, nr 8 kati / part - 1001 TIRANA. Copy, multiplication or distribution between parties of these plans (or any part of it) without written permission of IRP is prohibited.


TE GJITHA DIMENSIONET DUHET TË VERIFIKOHEN NGA KONTRAKTORIN NË VËND

E PËRVEËSHJESME: Këto vërtetime janë pronë e IRP, Pruga DERFISH HMA, nr 8 kati / part - 1001 TIRANA. Kopimet, shumëzimet dhe shpërndarjet e kësaj plani (ose pjesë të kësaj plani) pa lejen me shkrim të IRP është ndaluar.

disiplina	numri i fletes:	E.2 KEND LOJRASH
A	18/14	

faza:	data:	shkalla:	formati:	N 
PZ	Qershor 2020	1:100	A0	



Legjendë Gjelbërim



Eucalypt
e re



G2. Rere



Shenime:

Detajet per secilin vizatim gjenden ne fleten e Detajeve nen emertimin :A_PJ_22_1 dhe A_PJ_22_2.

Informacion me i detajuar per materializimin dhe elementet e perdorur per secilin rreth gjendet ne planin e indevseve qe gjendet nen emertimin A_PJ_11.

SHERBIME PROJEKTIMI
PËR RIGJENERIMIN URBAN TE SHETITORES BREGDETARE
QENDRORE TE VLORES, SHESHIT TE FLAMURIT DHE PORTIT

Klient: Fondi Shqiptar i Zhvillimit

Legjendë Gjellbërimi

G1.1. Bar normal

