

**MIRATOI
KRYETARI BASHKISE
Eriselda SEFA**

GRAFIKU I PUNIMEVE
OBJEKTI: "RIKONSTRUKSIONI I SHKOLLES SKENDER LIBOHOVA+SHTESE ANESORE"
"Lagja SKENDER LIBOHOVA Lushnje"

Nr	N/ an.	Pershkrimi i punimeve	Njesia	Sasia	Dite pune	Muaji 1	Muaji 2	Muaji 3	Muaji 4	Muaji 5
		1-Punime prishje								
1	An	Prishje suvatimi	m2	2020	126					
2	2.426/3	Prishje shtresash betoni +pllaka	m3	103	83					
3	2.426	Prishje mur tulle pa pastrim	m3	5	10					
4	An	Heqje dyer dhe dritare	m2	350	35					
5	An	Heqje bazamak shkallësh +davancale dritare	m2	117	23					
6	2.37/5a	Trasport mbeturinash deri 5 km	m3	200	8					
		2-Punime catie+ tarrace								
7	An	Shtrese lluster cemento 4cm	m2	190	30					
8	2.262	Shtrese betoni c6/10 ,10 cm *niveluese	ELEKTRI	19	2					
9	2.239/a	Shtrese polesteroli t=10cm	m2	190	24					
10	2.197	H/izolim emulsion bitumi me 2 duar k.katrama	m2	190	25					
11	2.209/b	Ulluk shkarkimi vertikal me llamarine bakerr fi 120 mm	ml	107	7					
12	2.212/b	Ulluk shkarkimi horizontal me llamarine bakerr 33 cm	ml	150	30					
13	2.203	Mbulim me llamarin (impluve)	m2	35	11					
14	2.206	Kasete shkarkimi me llamarine xingat	copë	2.0	1					
15	2.219	Cati vendi e zakonshme me HD deri 8 m me tjegulla marseljeze	m2	733	220					
16	2.297/a	Tavane me kartonxhes	m2	100	81					
		3-Punime suvatimi								
17	2.300	Suvatim tavani me krahe me h=4m	m2	670	117.00					
18	2.310	Suvatim i brendshem me krahe	m2	3050	590.00					
19	2.404	Lyerje me boje plastike brenda	m2	6050	574.00					
20	2.403	Boje vaji mbi siperfaqe te patinuar ne H = 1.2 m	m2	405	61.00					
21	2.404/1	Lyerje me boje hidroplastike importi cil.I JASHTE	m2	1300	59.00					
22	2.328	Patinim muri allci-stuko	m2	2330	221.00					
23	2.358/c	Veshje fasade me polest. kompakt5cm+rrjet +suva	m2	1010	46.00					
		4-Punime shtresash dhe nenshtresash								
24	2.262	Shtrese betoni c6/10 ,10 cm *niveluese	m3	206	321.00					
25	2.195	Shtrese me dy duar bitum dysheme	m2	670	35.00					
26	2.267/1	Shtrese me pllaka PORCENALAT importi	m2	2060	396.00					

27	2.326	Veshje me pllaka majolike * banjo	m2	423	150.00				
28	2.324/b	Plintuse pllake gres h=10cm	ml	1100	48.13				
29	2.268/a	Shkalle montazhi mermeri	m2	59	16.96				
30	An	F.V korimano druri	ml	35	3.50				
31	2.268/a	Davanciale dritare mermer	m2	80	12.00				
		5-Punime dyer-dritare							
32	2.375/a	F.v dritare dural dyfish xham	m2	190	52.25				
33	2.383/1	F.v dyer te brendshme druri cilesia I	m2	94	23.50				
34	2.395	F.v dyer dural per banjot tek xham	m2	45	11.25				
35	2.373/1	F.V. vetrat plastike me dopio xham (dyert e hyrjes ekzistuese)	m2	10	3.13				
36	An	F.V Dyer antizjarri me doreze antipaniku (emergjence)	m2	9.5	2.97				
		6-Punime hidro-sanitare							
37	2,495	F.V. lavaman porcelani + mishelator	cope	16	6				
38	2,504	F.V. wc allaturka+kasete shkarkimi	cope	22	10				
39	2,515	F.V.Pileta dysHEME	cope	8	3				
40	2,520	F.V. Tub PVC dhe rakorderi dn 110 mm	ml	52	18				
41	An	F.V. Tub PVC dhe rakorderi dn 50 mm	ml	14	4				
42	2.494/5	Saracineska bronzi Ø 2 " = 50 mm	cope	1	1				
43	An	F.V. Panel diellor per uje te ngroht	cope	2	4				
44	2.491/b	F.V. Tub rakorderi ujesjellesi PPR t= 20-25 mm, pn 16	ml	120	5				
45	2.491/d	F.V. Tub rakorderi ujesjellesi PPR t= 40 mm, pn 16	ml	100	4				
46	2.494/2	F.V. saracineske bronxi dn 25 mm	cope	8	1				
		7-Punime per sistemin MNZ							
47	2.492	F.V. Tub i xinguar Ø>1"	kg	90	4				
48	2.510	F.V hidrante Ø 50 mm(kasete hidranti kompletuar)	cope	9	1				
49	An	F.V. Pulsante alarmi	cope	6	1				
50	2.a-117	F.V. Siren e jashtme - artopolant	cope	3	1				
51	An	F.V. Dedektore optik	cope	110	20				
52	An	F.V. Panel qendror per dedektoret	cope	1	1				
53	2.481	F.V percjelles PV-500 Ø 1 mm2	ml	4000	15				
54	An	F.V. Bombula fikse zjarri	cope	27	5				
		8-Punime per sistemin e kamerave							
55	An	F.V. Kamer Glob	cope	1	1.00				
56	An	F.V. Kamer te jashtme 8 mega pixel	cope	8	4.00				
57	An	F.V. Kamer te brendshme 5 mega pixel	cope	15	8.00				
58	An	F.V. Kabull (power + line)	ml	1000	3.00				
59	An	F.V. NVR/DVR ME 24 PORTA	cope	1	1.00				
60	An	F.V. ushqyes per kamerat	cope	3	1.00				
61	An	F.V. HDD 2 TB	cope	2	1.00				
62	An	F.V. UPS bateri per sistemin	cope	1	1.00				
63	An	F.V. Monitor 50 inch	cope	1	1.00				
64	An	F.V. Switch me 24 porta	cope	1	1.00				
		9-Punime elektrike							
65	2.490/f	F.V Kasete plastike KE me 36 modular (vende)	cope	1	1				

66	2.490/d	F.V Kasete plastike KE me 12 modular (vende)	cope	4	1				
67	2.490/1e	FV Rele diferenciale 4x32A /0.03A 380V	cope	4	1				
68	2.a.108	Magnetotermik 2x20A 230V	cope	8	2				
69	2.485/3	Celes dIN,1 modul ,2x6A	cope	5	1				
70	2.485/3	FV celsa 10A 230V Ticino	cope	75	9				
71	2.485/i	FV prize shuko universale 2P+T 230V 16A Ticino	cope	120	15				
72	2.490/b	F.V Kasete Plastike KE me 6 modular	cope	13	3				
73	2.490/1	F.V Automat termo/elektro magnetik. Dif.2P 220V, 32A, ID=0.03 A	cope	17	3				
74	2.a-105	F.V Automat termo/elektro magnetik. Dif.4P 380V, 40A	cope	4	1				
75	2.a-104	F.V automjet magnetotermik 4*80A/380V	cope	1	1				
76	2.487/f	FV Kuti suport pllaket Ticino	cope	170	6				
77	2.487	FV kuti derivacioni	cope	70	3				
78	2.480/2	FV tub plastik Ø20	ml	580	3				
79	2.480/5	FV Tub plastik Ø32	ml	470	3				
80	2.481/1	FV percjelles 1.5mm ²	ml	2500	13				
81	2.481/2	FV percjelles 2.5mm ²	ml	850	4				
82	2.481/3	FV percjelles 4mm ²	ml	2200	11				
83	2.481/4	FV percjelles 6mm ²	ml	350	2				
84	2.a-97	FV percjelles tokezimi i cveshur Cu 50mm ²	ml	35	1				
85	4.142/1.29	F.V.kablo kontrolli Cu pa armuar, 4x4 mm ²	ml	20	1				
86	2.a-74	FV elektroda tokezimi L=2.5	cope	5	1				
87	2.a-137	Ndricues flureshent 4x18w per klasat	cope	55	9				
88	2.a-124	Ndricues fluoreshent 1x40W per korridor	cope	50	8				
89	2.a-136	Ndricues plafonier 1X60W per WC	cope	15	3				
		10-Sistemi mbrojtjes atmosferike							
90	2.a-98	F.V shirit tokezimi i xinguar horizontal 30*3mm	ml	303	12				
91	An	F.V shtize ,me maje te xinguar L=0.6m d=16mm	cope	24	1				
92	An	F.V morseteri, bashkuese tip "Ti"	cope	24	1				
93	An	F.V morseteri, bashkuese lidhje paralele	cope	12	1				
94	An	F.V morseteri, bashkuese tip "Kryq"	cope	13	1				
95	An	F.V shkeputes per matjen e tokezimit, ndares , seksionues Zn tip 22CP	cope	8	1				
		11-Punime pershtatshmerie per PAK							
96	2.426/3	Prishje shtresa betoni	m3	1	2				
97	2.1/a	Germim dheu me krahe e transport k.dore deri 10m	m3	4	3				
98	2.37/4a	Transport dheu me makineri deri 4km	m3	4	2				
99	2.258	Shtrese zhavori (t=10cm)	m3	1	1				
100	An	F.v ashensore me gabine xhami	cope	1	1				
101	2.111/2	Mure betoni c-12/15	m3	2	3				
102	2.262/4a	Pllake themeli c20/25	m3	1	1				
103	3.240	Struktura monolite betoni c 12/15	m3	5	11				
104	2.166	F.V hekur betoni Ø10 mm	kg	165	3				
105	2.200	Shtrese lluster cemento 4cm	m2	16	1				
106	2.262/4	Shtrese betoni C16/20	m3	2	2				

107	2.182	Konstruksione metalike te thjeshta	ton	0.2	1				
		12-Punime sistemime te jashtme							
108	2.258	Shtrese zhavorr 10 cm	m3	30	11				
109	2.166	F.V zgate hekuri betoni	ton	1.2	1				
110	2.289	Shtrese betoni e ferkuar me helikopter	m2	300	67				
111	3.An/1t	F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	130	5				
112	An-22/1	Puseta shimbledhese b/a 40x40 me kapak gize	cope	4	2				
113	2.575	Puseta kontrolli 1x1x1.5m	cope	2	13				
114	2.401	Boje vaji siperfaqe metalike	m2	165	1				
115	An	F.v kosha mbeturinash	cope	6	1				
		13-Punime te sistemit te ngrohjes							
116	An - 25	Radiator alumini me 12 elemente	Cope	140	44				
117	An - 26	Kaseta per kolektor 1850	Cope	30	2				
118	An - 27	Stafa per kolektor	Cope	30	2				
119	An - 28	Kolektor 1 1/4x11 dalje	Cope	30	2				
120	An - 29	Valvula kendore termostatikr 1/2	Cope	140	9				
121	An - 30	Detentor kendor 1/2	Cope	140	9				
122	An - 31	Rekord multi-fit 16x2x1/2	Cope	300	19				
123	An - 32	Kit universal 1/2 me ganxha per radiator	Cope	140	9				
124	An - 33	Saracineske kendore per kolektore 1 1/4	Cope	12	1				
125	An - 34	Rekord I drejte filet mashkull 1 1/4x40	Cope	50	3				
126	An - 35	Niple 1/2x1/2 per kolektor	Cope	400	25				
127	An - 36	Rekord fundor per fil mashkull 1 1/4	Cope	30	2				
128	An - 37	Valvola automatike per nxjerrje ajri 1/2	Cope	30	2				
129	An - 38	Valvola sferike per shkarkim uji 1/2	Cope	30	2				
130	An - 39	Bryla 40x40	Cope	30	2				
131	An - 40	Rekord I ndermjetem	Cope	90	6				
132	An - 41	Tubo multistrade 40x3.5	ml	200	8				
133	An - 42	Tubo multistrade I izoluar 16x2	ml	6000	225				
134	An - 43	Rozeta φ16	cope	300	11				
135	An - 44	Komande termostatike me element te ndjeshem vaji	cope	130	5				
136	An - 45	Ti 40x40x40	cope	40	2				
137	An	F.v kaldaje me lend djegese pelete kompletuar me fuqi 400 Mcal (Motorr,ventilator,centralin,pomp qarkulluese,tub largimit te gazrave ,ekspansor,)	Cope	1	1				
		14-Punime te Shkalles se Emergjences							
138	2.182	Konstruksion metalik per shkallet e emergjences komplet	ton	3.0	1.0				
139	3.88/a	uji, kategoria III, me shk ne toke	m³	5.0	1.0				
140	3.243/1	Struktura te holla monolite betoni C 16/20 per themele te shkalles se emergjences	m³	2.0	5.0				
		15-Punime Gërmimi dhe mbushje							
141	3.137	Germim dheu me ekskavator goma 0.15 m³, ne themele, toke zak, kategoria III, me shkarkim ne toke	m³	50.0	3.00				
142	2.5	Germim e mbushje dheu me krah per temel	m³	10.0	1.00				

143	2.37/2a	Transport dheu deri 2 Km	m ³	40.0	2.00				
144	2.426	Prishje mur tulle pa pastrim	m ³	5.0	1.00				
145	2.426/3	Prishje shtresa betoni	m ³	5.0	12.00				
16-Punime Murature									
146	2.70/2	Mur me tulle te lehtesuara dopio deri 3m me llaç perzier M25	m ³	4.9	10.00				
17-Punime Betoni dhe B/a e hekuri									
147	2.262/3	Shtrese Betoni C 12/15 (per shtrese niveluse plinti t=10cm)	m ³	3.5	4.00				
148	3.245	Strukture Monolite C 25/30 (beton per plinta +trare lidhes)	m ³	32.0	1.00				
149	2.117/1b	Kollona b/a monolite C 25/30 h ~ 4m	m ³	28.5	111.00				
150	2.119/1a	Trare e arkitrare b/a C20/25 h ~ 4m	m ³	34.0	88.00				
151	3.243	Strukture Monolite C 16/20 (Brez Betoni C 16/20)	m ³	4.5	12.00				
152	2.126	Soleta b/a monolite me tulla me 6 vrima, Hd = 6m, trashesi 25cm C 15/20	m ²	400.0	122.50				
153	2.262/4	Shtrese Beton C 16/20 per katin perdhe+ mure xokolature t = 20 cm	m ³	21.0	23.00				
154	2.166	F.V Hekur Feb44k ose Bst 500S d ≤ 10 mm	ton	9.64	72.30				
155	2.167	F.V Hekur Feb44k ose Bst 500S d > 10 mm	ton	20.50	315.18				
18-Punime shtresash									
156	3.352	Mbushje me gur kave (t = 40 cm nen soleten e dyshemese)	m ³	70	3.00				
157	2.261	Shtrese rere (tmes=8cm)	m ³	12.6	1.00				
19-Punime dyersh e dritaresh									
158	An. Man.2	Veshje fasade me xham struktural i pathyeshem	m ²	330.0	13.0				
20-Reabilitimi i tapetitt ne terrenin sportiv									
159	3.89/b	Germim dheu me ekskavator goma 0.25 m ³ , ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet(SKARIFIKIM I TERRENIT EKZISTUES)	m ³	153	8				
160	3.158/1a	Trarport dheu deri 1 km	m ³	153	6				
161	3.212/b	Shtrese stabilizanti t=10 cm	m ²	153	6				
162	2.261	Shtrese rere 5cm	m ³	45.9	2				
163	An	Fv gome 12 kg m ²	m ²	1530	28				
164	An	F.V tapet bari sintetik , gjatesia e fijos t=20mm materiali PE +lateks	m ²	1530	57				
				SHUMA	5,135.04				

Numri i punetoreve 50 vete

Numri i diteve 144

Punoi: Ark. Alban Manoku
Ark. Entjol Monka
Ing. Ariola Beqo
Ing.Gani Myzeqari
Ing.Ersi Veliu
Ing.Arben Muca

Drejtoria e planifikimit te territorit
Ing.Mimoza Haxhiu