

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : PANDELI DANGLLI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	98		0
	2.An.2	Prishje Tavani	m2	41.4		0
	2.An.5	Prishje Suvaje	m2	57.6		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	57.6		0
	2.295	Tavan rrjete teli + suva	m2	41.4		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.25		0
	2.395	Dyer d/alumini tek xham.	m2	2.5		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	5.1		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	98		0
	2.292	Trare tavani te sharruar	m2	41.4		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : PELLUMB SHOSHARI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
	2.An.5	Prishje Suvaje	m2	57.6		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	11		0
SHUMA 2						0
3- punime dyer dritare						
	2.395	Dyer d/alumini tek xham.	m2	3.25		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	6.2		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	0.75		0
SHUMA 3						0
Shuma 1 +2+3						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : VAIT BERBERI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	65		0
	2.An.5	Prishje Suvaje	m2	13		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	13		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	5.76		0
	2.395	Dyer d/alumini tek xham.	m2	3		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.85		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	65		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : BASHKIM HAKA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	42		0
	2.An.5	Prishje Suvaje	m2	9		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	9		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	4.72		0
	2.395	Dyer d/alumini tek xham.	m2	3		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	2.83		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	42		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : DONIKA CORIGA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : SEFEDIN SELMANI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	130		0
	2.An.2	Prishje Tavani	m2	0		0
	2.An.5	Prishje Suvaje	m2	17.5		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	3		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	17.5		0
	2.295	Tavan rrjete teli + suva	m2	0		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	7.8		0
	2.395	Dyer d/alumini tek xham.	m2	3.6		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	5.4		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.95		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	130		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : RAIMOND MERAKU

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	93		0
	2.An.2	Prishje Tavani	m2	0		0
	2.An.5	Prishje Suvaje	m2	0		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	1.5		0
SHUMA 1						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	93		0
SHUMA 2						0
Shuma 1 +2						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : RAIMOND KARGA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	85		0
	2.An.5	Prishje Suvaje	m2	5.1		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	5.1		0
SHUMA 2						0
3- punime dyer dritare						
	2.395	Dyer d/alumini tek xham.	m2	5		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.3		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	85		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : RAMI TREDAFILI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
	2.An.5	Prishje Suvaje	m2	10.2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	10.2		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	1.54		0
	2.395	Dyer d/alumini tek xham.	m2	3		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.08		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.35		0
SHUMA 3						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : MARJANA KAPSHTICA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	80		0
	2.An.5	Prishje Suvaje	m2	12.32		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	12.32		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	5.6		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.8		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	2.1		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	80		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : FADILE LIMKA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	96		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	1.5		0
SHUMA 1						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	96		0
SHUMA 2						0
Shuma 1 +2						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : LLAMBI NAKE

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	88		0
	2.An.5	Prishje Suvaje	m2	10.4		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	10.4		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.68		0
	2.395	Dyer d/alumini tek xham.	m2	2.3		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.84		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	88		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES :ROMI NAKE

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	0		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	10.4		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.68		0
	2.395	Dyer d/alumini tek xham.	m2	2.3		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.84		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	88		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : ENVER KORDALLI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
	2.An.5	Prishje Suvaje	m2	6.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	6.5		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	2.3		0
	2.395	Dyer d/alumini tek xham.	m2	2.6		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.82		0
SHUMA 3						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : VLADIMIR XHAMBAZI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
	2.An.5	Prishje Suvaje	m2	5.7		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	5.7		0
SHUMA 2						0
3- punime dyer dritare						
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.9		0
	2.395	Dyer d/alumini tek xham.	m2	2.6		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.1		0
SHUMA 3						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : ILIRJAN GJOZA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	40		0
	2.An.5	Prishje Suvaje	m2	5.7		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	1.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	5.7		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	1.5		0
	2.395	Dyer d/alumini tek xham.	m2	2.5		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	40		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : FERDINAND MERAKU

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	72		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	72		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : ARTAN GOGOLI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	65		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	65		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : GENTI SHOSHARI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	60.5		0
	2.An.2	Prishje Tavani	m2	39		0
	2.An.5	Prishje Suvaje	m2	88		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	88		0
	2.295	Tavan rrjete teli + suva	m2	44		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	2.88		0
	2.395	Dyer d/alumini tek xham.	m2	2.47		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.23		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.5		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	60.5		0
	2.292	Trare tavani te sharruar	m2	39		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : BAJRAM KOVACI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	80		0
	2.An.2	Prishje Tavani	m2	48		0
	2.An.5	Prishje Suvaje	m2	122		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	3		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	122		0
	2.295	Tavan rrjete teli + suva	m2	48		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.9		0
	2.395	Dyer d/alumini tek xham.	m2	1.8		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	80		0
	2.292	Trare tavani te sharruar	m2	48		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : ASQERI LIPE

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	38.5		0
	2.An.2	Prishje Tavani	m2	22		0
	2.An.5	Prishje Suvaje	m2	15		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	15		0
	2.295	Tavan rrjete teli + suva	m2	24		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	1.55		0
	2.395	Dyer d/alumini tek xham.	m2	1.6		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.2		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	0.5		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	38.5		0
	2.292	Trare tavani te sharruar	m2	22		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : NJAZI TARELLI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	110		0
	2.An.2	Prishje Tavani	m2	58.8		0
	2.An.5	Prishje Suvaje	m2	132.5		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	3.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	132.5		0
	2.295	Tavan rrjete teli + suva	m2	62		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	4.5		0
	2.395	Dyer d/alumini tek xham.	m2	3.57		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.2		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	0.5		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	110		0
	2.292	Trare tavani te sharruar	m2	58.8		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : PETRIKA HAXHI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	97.5		0
	2.295	Tavan rrjete teli + suva	m2	45		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	4		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.68		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.44		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	65.5		0
	2.292	Trare tavani te sharruar	m2	45		0
SHUMA 4						0
Shuma 2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : SHAZIMAN SHOSHARI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	37.2		0
	2.An.2	Prishje Tavani	m2	23		0
	2.An.5	Prishje Suvaje	m2	66.75		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	66.75		0
	2.295	Tavan rrjete teli + suva	m2	25		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	2.64		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.68		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.8		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	37.2		0
	2.292	Trare tavani te sharruar	m2	23		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : AGRON TRENDAFILI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	67.5		0
	2.An.2	Prishje Tavani	m2	39		0
	2.An.5	Prishje Suvaje	m2	115		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	115		0
	2.295	Tavan rrjete teli + suva	m2	43		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.12		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.36		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.08		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	67.5		0
	2.292	Trare tavani te sharruar	m2	39		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : HYSEN JAZXHI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	80		0
	2.An.2	Prishje Tavani	m2	45		0
	2.An.5	Prishje Suvaje	m2	117.5		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	117.5		0
	2.295	Tavan rrjete teli + suva	m2	47		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	5.76		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.78		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	80		0
	2.292	Trare tavani te sharruar	m2	45		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : GJERGJI FILO

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	66.2		0
	2.An.5	Prishje Suvaje	m2	122		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	1.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	122		0
SHUMA 2						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	66.2		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : ADRIATIK ZENELAK

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
			3	4	5	6
		1 - Punime arkitektonike				7
2.25		Germim themele e plinta b>2m, ekskavator me goma, kova 0	m3	20		0
2.262		shtrese betoni C 6/10	m3	3.7		0
2.114/1		Plinta e bazamente b/a monolite deri C - 16/20	m3	3.7		0
2.88		Mur me blloqe betoni t=20cm deri 3m me llaç perzier M 15	m3	15		0
3.244		Struktura monolite betoni C 20/25 per brezat	m3	0.6		0
2.167		F V hekur betoni periodik Ø > 10 mm	ton	0.1		0
2.312/1		Suva brenda mur guri h-4m me pompe, llaç perzier M 25	m2	75		0
2.375/a		Dritare d/alumini dyfish xham.	m2	4		0
2.395/a		Dyer d/alumini dopio xham.	m2	2.6		0
2.383		F.V dyer druri	m2	3.6		0
2.219		cati vendi zakonshme HD-8m, mbuluar, tjegulla marseleze	m2	41		0
2.295		Tavan rrjete teli + suva	m2	30		0
2.292		Trare tavani te sharruar	m2	30		0
		Shuma 1				0
		TVSH 20%				0
		Shume Totale me TVSH				0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : JORGO KORDALLI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	66		0
	2.An.5	Prishje Suvaje	m2	117.5		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	117.5		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	2.82		0
	2.395	Dyer d/alumini tek xham.	m2	2.28		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.31		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.4		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	66		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : PERPARIM AVDI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	61		0
	2.An.2	Prishje Tavani	m2	34		0
	2.An.5	Prishje Suvaje	m2	99.25		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	2		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	99.25		0
	2.295	Tavan rrjete teli + suva	m2	36		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.56		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	3.4		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.5		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	61		0
	2.292	Trare tavani te sharruar	m2	34		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : EMINE IMAKU

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	34.2		0
	2.An.2	Prishje Tavani	m2	23		0
	2.An.5	Prishje Suvaje	m2	55		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	1.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	55		0
	2.295	Tavan rrjete teli + suva	m2	25		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	3.4		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	1.8		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	1.8		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	34.2		0
	2.292	Trare tavani te sharruar	m2	23		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : ENVER TRENDAFILI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	110		0
	2.An.2	Prishje Tavani	m2	57.8		0
	2.An.5	Prishje Suvaje	m2	142.5		0
	2.37/3a	Transport I mbetjeve mbas prishjes 3 KM	m3	3.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	142.5		0
	2.295	Tavan rrjete teli + suva	m2	60		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	7		0
	2.395	Dyer d/alumini tek xham.	m2	2.52		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	5.67		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.1		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	110		0
	2.292	Trare tavani te sharruar	m2	57.8		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : RONI BLETA

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES :KUJTIM XHAMBAZI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : PRANVERA NOKE

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : SELIM XHAMBASI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL
 PRONARI I BANESES : MUHAMET XHAMBBAZI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : BUKURIE AVDI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : BASHKIM FERHATI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : ILIRJAN AVDI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI

OBJEKTI: PERMIRESIMI I KUSHTEVE TE BANIMIT PER KOMUNITETE TE PAVAFORIZUARA NE BASHKINE DEVOLL

PRONARI I BANESES : ILIRJAN AVDI

Nr.	Nr.An.	Emertimi i punimeve	Njesia	Sasia	Cmimi	Vlera
1	2	3	4	5	6	7
1 - Punime Prishje						
1	2.An.1	Prishje Catie	m2	75		0
	2.An.5	Prishje Suvaje	m2	18		0
	2.37/3a	Transport I mbetjeve mbas prishjes	m3	2.5		0
SHUMA 1						0
2 - Punime Suvatimi						
	2.312/1	Suva brenda mur guri h~4m me pompe, llaç perzier M 25	m2	18		0
SHUMA 2						0
3- punime dyer dritare						
	2.375/a	Dritare d/alumini dyfish xham.	m2	6.29		0
	2.388/1	V F dyer te brendeshme tamburate te rimesuara	m2	4.56		0
	2.273	Shtrese pllaka mermeri t = 20 mm	m2	3.2		0
SHUMA 3						0
4-punime catie						
	2.219	Çati vendi zakonshme HD~8m, mbuluar, tjegulla marseleze	m2	75		0
SHUMA 4						0
Shuma 1 +2+3+4						0
TVSH 20%						0
Shume Totale me TVSH						0

Shenim: Cmimet jane mbeshtetur ne manualin e miratuar me VKM nr.629, date 15/07/2015

PREVENTIVOI : ING. ROLAND HYSOLLI