EMERGENCYWORKS

TABLE B (Emergency works)

Road segments: K/Kalimash - Connection to Nation's Road (6 km), Black Drin Bridge (Kukës) - Krumë (30.1 km), Kukës-Zapoti Bridge (13.2 km) [TOTAL 49.3 km]

No.	Work description	Total amount of routine Emergency maintenance		Amount
		ALL	in %	ALL
1	Emergency works	0	3%	0
			SUM C:	0



MAY 2020

SUMMARY OF BILL OF QUANTITIES

OBJECT OF CONTRACT:

Performance-based routine maintenance, "Kukës-Zapoti Bridge, K/Kalimash Connection to Nation's Road, Black Drin Bridge (Kukës) -Krumë" road [TOTAL LENGTH 49.3 km]

SUMMARY TABLE

No.	CATEGORY OF WORKS	UNIT	AMOUNT	RATIO IN PERCENTAGE
1	ROUTINE MAINTENANCE	ALL		
2	PERIODIC AND REHABILITATION WORKS	ALL		
3	EMERGENCY WORKS	ALL		
SUM:				
		20% VAT		
		TOTAL SUM:		

REHABILITATION WORKS

TABLE B (Rehabilitation works)

Road segments: K/Kalimash - Connection to Nation's Road (6 km), Black Drin Bridge (Kukës) -Krumë (30.1 km), Kukës-Zapoti Bridge (13.2 km)" [TOTAL 49.3 km]

Analysis No	Work description	Unit	Quantity	Price	Amount (ALL)
	EXCAVATION WORKS				
3.119/a	Excavation of rocks crushed by excavator 0.5 m³, with foundation width ~2 m, used for road track filling	m3	280		0
3.158/3a	Soil transportation by trucks in a distance up to 3.0 km	m3	25		0
3.161/2	Leveling of escarpments through excavation, excavator 0.25m ³	m2	140		0
An.164/1a	Filling of road track with excavated material, spread and compacted by machines	m3	6		0
	LAYER WORKS				
3.197	Removal of gravel layer t = 10 cm, by machines	m2	280		0
3.212/b	Stabilizing layer t=10cm	m2	1800		0
3.212/c	Stabilizing layer t=15cm	m2	120		0
3.212/d	Stabilizing layer t=20cm	m2	120		0
An	Scarifying of asphalt layers by machines	m2	9211.12		0
	ASPHALT WORKS				
3.222/2	Binder layer with crushed stones and quarry stones, 6cm, by machines	m2	3400		0
3.226/1	stones and quarry stones, 4cm, by machines	m2	9211.12		0
	CONCRETE WORKS				
3.244	Monolithic concrete construction C 20/2.	m3	210		0
3.268		m3	2.6		0
3.235	Monolithic b/concrete construction C 12/15 with 20% stone	m3	7		0
	REINFORCED CONCRETE WORKS				
3.287	Supply and installation of common rebars Ø 6 ~ 10mm	tons	0.30		0
3.288	Supply and installation of common rebars Ø > 12mm	tons	0.25		0
	CONSTRUCTION OF ART WORKS				
3.323	Stone retaining wall, M50 cement	m3	150		0
An-8	Filling the walls with gravel	m3	18		0

3.332 crushed stone 1x1x1.5 m 3.366		0
above the concrete layer 3.367 Culverts with concrete pipes Ø 1000, above the concrete layer DIFFERENT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with A= pcs An106 Common triangular sign board with A = 9 pcs An100 Common circular sign board with A = 9 pcs An100 Common circular sign board with A = 9 pcs An100 Common octagonal sign board with A = 9 pcs An100 Common octagonal sign board with A = 9 pcs An101 Common octagonal sign board with A = 9 pcs An101 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn marking lines An120 Road marking lines with bicomponent paint with a width of 12 cm An121 Road marking lines with bicomponent paint with a width of 15 cm An122 Road marking lines with bicomponent paint with a width of 15 cm An150 Supply and installation of road indication sign boards 150x40cm An150 Supply and installation of different road sign boards D=60cm An151 Single-sided concrete parapet (Ø 60) + accessories (bridge) An152 MI W3 single-sided guardrail with 2 ml 1100		U
above the concrete layer Culverts with concrete pipes Ø 1000, above the concrete layer DIFFERNT WORKS 3.618 Supply and installation of concrete m 20 ROAD SIGNS WORKS An48 Common rectangular sign board with A= pcs 18 An106 Common triangular sign board with A= 9 pcs 36 An100 "prohibition" with D = 60 pcs 30 An97 Common octagonal sign board with A- pcs 12 An116 Common side road marking lines with two senses (red + white) pcs 12 An118 (Single) turn dotted marking lines pcs 10 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm ml 120 An152 Road marking lines with bicomponent paint with a width of 15 cm ml 100 An156 Supply and installation of road indication sign boards 150x40cm pcs 16 An158 Supply and installation of different road sign boards D=60cm late of the paint with 2 ml 1100 An4 H1 W3 single-sided guardrail with 2 ml 1100 An4 H1 W3 single-sided guardrail with 2 ml 1100		0
above the concrete layer DIFFERIT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with A= pcs 18 An106 Common triangular sign board with A = 9 pcs 36 An100 "common circular sign board indicating "prohibition" with D = 60 pcs 30 An97 Common octagonal sign board with A- pcs 12 An116 Common side road marking lines with two senses (red + white) pcs 12 An118 (Single) turn dotted marking lines pcs 10 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm ml 120 An152 Road marking lines with bicomponent paint with a width of 15 cm ml 100 An156 Supply and installation of road indication sign boards 150x40cm pcs 16 An158 Supply and installation of different road sign boards D=60cm lh 100 An24 H1 W3 single-sided guardrail with 2 ml 1100		ŭ
DIFFERENT WORKS 3.618 Supply and installation of concrete		0
3.618 Supply and installation of concrete ROAD SIGNS WORKS		
ROAD SIGNS WORKS An48 Common rectangular sign board with A= pcs 18 An106 Common triangular sign board with A = 9 pcs 36 An100 Common circular sign board indicating "prohibition" with D = 60 pcs 30 An97 Common octagonal sign board with A-B, 90-30 pcs 12 An116 Common side road marking lines with two senses (red + white) pcs 12 An118 (Single) turn dotted marking lines pcs 10 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm point with a width of 15 cm ml 100 An152 Road marking lines with bicomponent paint with a width of 15 cm pcs 8 An156 Supply and installation of road indication sign boards 150x40cm pcs 16 An158 Supply and installation of different road sign boards D=60cm pcs 15 An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) ml 1100		
An48 Common rectangular sign board with A= pcs 18 An106 Common triangular sign board with A = 9 pcs 36 An100 Common circular sign board indicating pcs pcs 30 An100 Common circular sign board indicating pcs 30 An97 Common octagonal sign board with A-B, 90-30 An116 Common side road marking lines with two senses (red + white) pcs 12 An118 (Single) turn dotted marking lines pcs 10 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm ml 120 An152 Road marking lines with bicomponent paint with a width of 15 cm pcs 16 An156 Supply and installation of road indication sign boards 150x40cm pcs 16 An157 Supply and installation of different road sign boards D=60cm pcs 16 An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) ml 1100		0
An106 Common triangular sign board with A = 9 pcs 36 An100 Common circular sign board indicating "prohibition" with D = 60 An97 Common octagonal sign board with A-B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines pcs 12 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm ml 120 An152 Road marking lines with bicomponent paint with a width of 15 cm ml 100 An156 Supply and installation of road indication sign boards 150x40cm pcs 16 An158 Supply and installation of different road sign boards D=60cm pcs 15 An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) ml 1100		
An100 Common circular sign board indicating "prohibition" with D = 60 An97 Common octagonal sign board with A-B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines pcs 10 An119 (Double) turn dotted marking lines pcs 10 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An121 Road marking lines with bicomponent paint with a width of 12 cm An152 Road marking lines with bicomponent paint with a width of 15 cm An156 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2 ml 1100		0
An100 "prohibition" with D = 60 An97 Common octagonal sign board with A-B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn marking lines An121 Road marking lines with bicomponent paint with a width of 12 cm An122 Road marking lines with bicomponent paint with a width of 15 cm An136 Supply and installation of road indication sign boards 150x40cm An137 Supply and installation of different road sign boards D=60cm An138 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2 An4 In 100 In		0
An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn marking lines An120 Road marking lines with bicomponent paint with a width of 12 cm An152 Road marking lines with bicomponent paint with a width of 15 cm An154 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An155 Single-sided concrete parapet (Ø 60) + accessories (bridge) An166 H1 W3 single-sided guardrail with 2		0
An116 two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn marking lines An120 Road marking lines with bicomponent paint with a width of 12 cm An152 Road marking lines with bicomponent paint with a width of 15 cm An152 Supply and installation of road indication sign boards 150x40cm An156 Supply and installation of different road sign boards D=60cm An157 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2		0
An119 (Double) turn dotted marking lines pcs 12 An120 Mild or sharp (T-shaped) turn marking lines pcs 10 An122 Road marking lines with bicomponent paint with a width of 12 cm ml 120 An152 Road marking lines with bicomponent paint with a width of 15 cm ml 100 An156 Supply and installation of road indication sign boards 150x40cm pcs 8 An158 Supply and installation of different road sign boards D=60cm pcs 16 An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) ml 15		0
An120 Mild or sharp (T-shaped) turn marking lines An122 Road marking lines with bicomponent paint with a width of 12 cm An152 Road marking lines with bicomponent paint with a width of 15 cm An156 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2		0
An120 lines Road marking lines with bicomponent paint with a width of 12 cm An152 Road marking lines with bicomponent paint with a width of 15 cm An156 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2		0
An122 paint with a width of 12 cm Road marking lines with bicomponent paint with a width of 15 cm An156 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2		0
An152 paint with a width of 15 cm An156 Supply and installation of road indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2 ml 1100		0
An156 indication sign boards 150x40cm An158 Supply and installation of different road sign boards D=60cm An35 Single-sided concrete parapet (Ø 60) + accessories (bridge) An4 H1 W3 single-sided guardrail with 2 ml 1100		0
An158 sign boards D=60cm pcs 16 Single-sided concrete parapet (Ø 60) + accessories (bridge) ml 15 An4 H1 W3 single-sided guardrail with 2 ml 1100		0
accessories (bridge) H1 W3 single-sided guardrail with 2 An4 H1 W3 single-sided guardrail with 2		0
And I I ml I 1100 I		0
wave beams + accessories (road)		0
	SUM B:	0

ROUTINEMAINTENANCE

TABLE A (Routine maintenance)

Road segments: K/Kalimash - Connection to Nation's Road (6 km), Black Drin Bridge (Kukës) -Krumë (30.1 km), Kukës-Zapoti Bridge (13.2 km)" [TOTAL 49.3 km]

Item No.	Work description	Length	Period	Price	Amount
		km	month	ALL/km/month	ALL
1	Cleaning of roadside ditches and gutters	49.3	48		0
	Cleaning of existing circular and box				
2	culverts	49.3	48		0
3	Filling and leveling of shoulders	49.3	48		0
4	Removal of vegetation	49.3	48		0
	Cleaning of carriageway from alluvium				
5	and other materials	49.3	48		0
6	Repair of asphalt potholes	49.3	48		0
	Filling and profiling of subgrades in				
7	asphalt roads	49.3	48		0
	Repair and upgrade of horizontal road				
8	signs	49.3	48		0
	Repair and upgrade of vertical road				
	signs and road safety (guardrails) and				
9	lighting devices	49.3	48		0
10	Routine maintenance of art works	49.3	48		0
11	Winter maintenance	49.3	48		0
Sum A:				0	