EMERCENCYWORKS

TABLE B (Emergency works)

Road segments "U. Cerenecit - Klenjë (31.1 km), Trebisht-Dogane (3.3 km),
Bualli Pass-Kraste (16.4 km), Kthesa Lapidari-Lis (8.9 km), K/Ulez National Road (2.3 km)
[TOTAL LENGTH 62 km]

No.	Work description	Total amount of routine maintenance	Emergency	Amount
		ALL	in %	ALL
1	Emergency works		3%	0
			SUM C:	0



MAY 2020

SUMMARY OF BILL OF QUANTITIES

OBJECT OF CONTRACT:

Performance-based routine maintenance, "Cereneci Bridge - Klenjë, Trebisht-Dogane, Bualli Pass-Kraste, Kthesa Lapidari-Lis, K/Ulez National Road" [TOTAL LENGTH 62 km]

SUMMARY TABLE

No.	CATEGORY OF WORKS	UNIT	AMOUNT	RATIO IN PERCENTAGE			
1	ROUTINE MAINTENANCE	ALL					
2	PERIODIC AND REHABILITATION WORKS	ALL					
3	EMERGENCY WORKS	ALL					
	SUM:						

REHABILITATIONWORKS

TABLE B (Rehabilitation works)

Road segments "U. Cerenecit - Klenjë (31.1 km), Trebisht-Dogane (3.3 km),
Bualli Pass-Kraste (16.4 km), Kthesa Lapidari-Lis (8.9 km), K/Ulez National Road (2.3 km)

[TOTAL LENGTH 62 km]

Analysis No	Work description	Unit	Quantity	Price	Amount (ALL)
	EXCAVATION WORKS				
3.119/a	Excavation of rocks crushed by excavator 0.5 m³, with foundation width ~2 m, used for road track filling	m3	1050		0
3.158/3a	Soil transportation by trucks in a distance up to 3.0 km	m3	45		0
3.161/2	Leveling of escarpments through excavation, excavator 0.25m ³	m2	350		0
An.164/1a	Filling of road track with excavated material, spread and compacted by machines	m3	40		0
	LAYER WORKS				
3.197	Removal of gravel layer t = 10 cm, by machines	m2	300		0
3.212/b	Stabilizing layer t=10cm	m2	2255		0
3.212/c	Stabilizing layer t=15cm	m2	50		0
3.212/d	Stabilizing layer t=20cm	m2	50		0
An	Scarifying of asphalt layers by machines	m2	9265.46		0
	ASPHALT WORKS				
3.222/2	Binder layer with crushed stones and quarry stones, 6cm, by machines	m2	8500		0
3.226/1	stones and quarry stones, 4cm, by machines	m2	9265.46		0
	CONCRETE WORKS				
3.244	Monolithic concrete construction C 20/2	m3	430.2		0
3.268		m3	2		0
3.235	Monolithic b/concrete construction C 12/15 with 20% stone	m3	5		0
	REINFORCED CONCRETE WORKS				
3.287	Supply and installation of common rebars Ø 6 ~ 10mm	tons	0.2		0
3.288	Supply and installation of common rebars Ø > 12mm	tons	0.2		0
	CONSTRUCTION OF ART WORKS				
3.323	Stone retaining wall, M50 cement	m3	673.7		0
An-8	Filling the walls with gravel	m3	248.3		0

crushed stone 1x1x1.5 m 3.366 Culverts with concrete pipes Ø 800 above the concrete layer Culverts with concrete pipes Ø 100 above the concrete layer DIFFERENT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with Common circular sign board with "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone paint with a width of 15 cm	m D, m m th A=0 pcs A = 9 pcs ing pcs th pcs th pcs pcs	16 8 8 10 40 135 35 20 10 10 10		0 0 0 0 0 0 0
3.366 above the concrete layer Culverts with concrete pipes Ø 100 above the concrete layer DIFFERENT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with Common circular sign board indicat "prohibition" with D = 60 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone Road marking lines with bicompone	m D, m m th A=0 pcs A = 9 pcs ing pcs th pcs th pcs pcs	8 10 40 135 35 20 10		0 0 0 0 0 0
above the concrete layer Culverts with concrete pipes Ø 100 above the concrete layer DIFFERENT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with Common triangular sign board with Common circular sign board indicat "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone Road marking lines with bicompone paint with a width of 12 cm	m th A=0 pcs A = 9 pcs ing pcs th pcs th pcs pcs	8 10 40 135 35 20 10		0 0 0 0 0 0
above the concrete layer DIFFERENT WORKS 3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with Common triangular sign board with Common circular sign board indicat "prohibition" with D = 60 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone paint with a width of 12 cm	m th A=0 pcs A = 9 pcs ing pcs th A- pcs th pcs pcs	10 40 135 35 20 10		0 0 0 0 0 0 0 0 0 0
3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with An106 Common triangular sign board with Common circular sign board indicat "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone	th A=(pcs A = 9 pcs ing pcs The A-composition A-compose the pcs pcs pcs pcs	40 135 35 20 10		0 0 0 0 0 0
3.618 Supply and installation of concrete ROAD SIGNS WORKS An48 Common rectangular sign board with Common triangular sign board with Common circular sign board indicate "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone R	th A=(pcs A = 9 pcs ing pcs The A-composition A-compose the pcs pcs pcs pcs	40 135 35 20 10		0 0 0 0 0 0
ROAD SIGNS WORKS An48 Common rectangular sign board wi An106 Common triangular sign board with Common circular sign board indicat "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone	th A=(pcs A = 9 pcs ing pcs The A-composition A-compose the pcs pcs pcs pcs	40 135 35 20 10		0 0 0 0 0 0
An48 Common rectangular sign board with An106 Common triangular sign board with Common circular sign board indicate "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone	A = 9 pcs ing pcs n A- pcs th pcs pcs pcs	135 35 20 10		0 0 0 0
An106 Common triangular sign board with Common circular sign board indicat "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An121 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone	A = 9 pcs ing pcs n A- pcs th pcs pcs pcs	135 35 20 10		0 0 0 0
An100 Common circular sign board indicate "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone	pcs n A- pcs th pcs pcs pcs	35 20 10 10		0 0 0
An100 "prohibition" with D = 60 An97 Common octagonal sign board with B, 90-30 An116 Common side road marking lines with two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An120 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone	pcs pcs pcs pcs pcs pcs pcs	20 10 10		0 0
An116 Common side road marking lines w two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm Road marking lines with bicompone	th pcs pcs pcs	10		0
An116 two senses (red + white) An118 (Single) turn dotted marking lines An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone	pcs pcs pcs	10		0
An119 (Double) turn dotted marking lines An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone	pcs			-
An120 Mild or sharp (T-shaped) turn mark lines An122 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone		10		0
An120 lines An122 Road marking lines with bicompone paint with a width of 12 cm An152 Road marking lines with bicompone	ng			
paint with a width of 12 cm Road marking lines with bicompone	ng pcs	10		0
Anist I	ent ml	100		0
	ent ml	100		0
An156 Supply and installation of road indication sign boards 150x40cm	pcs	8		0
An158 Supply and installation of different sign boards D=60cm	road pcs	20		0
An35 Single-sided concrete parapet (ø 60 accessories (bridge)) + ml	20		0
An4 H1 W3 single-sided guardrail with 2 wave beams + accessories (road)	ml	2100		0
SUM B:				

ROUTINEMAINTENANCE

TABLE A /1 (Routine maintenance)

Road segments: Trebisht-Dogane (3.3 km), Bualli Pass-Kraste (16.4 km), Kthesa Lapidari-Lis (8.9 km), K/Ulez National Road (2.3 km) [TOTAL 30.9 km]

Item No.	Work description	Length	Period	Price	Amount
		km	month	ALL/km/month	ALL
1	Cleaning of roadside ditches and gutters	30.9	48		0
	Cleaning of existing circular and box				
2	culverts	30.9	48		0
3	Filling and leveling of shoulders	30.9	48		0
4	Removal of vegetation	30.9	48		0
	Cleaning of carriageway from alluvium				
5	and other materials	30.9	48		0
6	Repair of asphalt potholes	30.9	48		0
	Filling and profiling of subgrades in				
7	asphalt roads	30.9	48		0
	Repair and upgrade of horizontal road				
8	signs	30.9	48		0
	Repair and upgrade of vertical road				
	signs and road safety (guardrails) and				
9	lighting devices	30.9	48		0
10	Routine maintenance of art works	30.9	48		0
11	Winter maintenance	30.9	48		0
Sum A/1:				0	

ROUTINEMAINTENANCE

TABLE A /2 (Routine maintenance)

Road segments: Cereneci Bridge - Klenjë (31.1 km) [TOTAL 31.1 km]

Item No.	Work description	Length	Period	Price	Amount
	·	km	month	ALL/km/month	ALL
1	Cleaning of roadside ditches and gutters	31.1	48		0
	Cleaning of existing circular and box				
2	culverts	31.1	48		0
3	Removal of vegetation	31.1	48		0

	Cleaning of carriageway from alluvium				
4	and other materials	31.1	48		0
	Filling and profiling of subgrades in				
5	unpaved roads.	31.1	48		0
6	Routine maintenance of art works	31.1	48		0
7	Winter maintenance	31.1	48		0
				Sum A/2:	0

SUM A = $(A/1+A/2)$:	0