

PREVENTIV PUNIMESH

Objekti: "Ndertimi I godines se Bashkise Divjake"

Vlera e preventivuar:

- Leke me Tvsh

Nr	Nr.analize	Pershkrimi i punimeve	Njesia	Sasia	Cmimi	Vlera
<b>1-Punime prishje dhe dheu</b>						
1	3.158/2a	Transport me auto deri 2.0 km	m3	5,079.00		
2	2.1/a	Germim dheu me krah e transport me k dore 10 m, kategoria IV	m³	150.0		
3	3.87/a	Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi deri 2 m, toke zak, kategoria III, me shk ne toke	m3	4,403.0		
4	An-49 M-3	Prishje struktura prej betoni	m³	176.0		
5	2.426/1	Prishje mur tulle me pastrim	m³	350.0		
<b>Totali</b>						
<b>2-Punime betoni dhe beton/armeje</b>						
1	3.239	Struktura monolite betoni C 7/10	m³	125.0		
2	3.245	Struktura monolite betoni C 25/30	m³	3,288.0		
3	2.166	F.V. Hekur betoni deri Φ 6-10 mm	ton	55.0		
4	2.167	F.V. Hekur betoni ≥ Φ 10 mm	ton	268.0		
5	An-1	Fuga dilatacioni per dysHEME	ml	40		
6	An-2	Fuga dilatacioni per mure dhe fasade	ml	86		
7	2.181	Konstruksione metalike te perbera	ton	2.0		
8	An0	Galvanizim konstruksionit metalik	ton	2.0		
<b>Totali</b>						
<b>4-Punime murature</b>						
<b>B Punime murature</b>						
1	2.86	Mur me tulle me 6 vrima, t=12cm, h~3m, llaç perzier M15	m³	25.0		
2	2.108/a	Ndetim muri me knauf t=10cm me dy shtresa	m2	1,457.0		
3	2.71/2	Mur me tulle te lehtesuara dopio deri 8m me llaç perzier M25	m³	480.0		
<b>Totali</b>						
<b>5-Punime - Hidroizolimi</b>						
1	2.197	Hidroizolim me emulsion bitumi dhe 2 shtrese katrama	m2	1,845.0		
2	2.297/b	Tavan i varur me pllaka gipsi 60x60cm	m2	2,326.0		
3	2.196/b	Hidroizolim me nje shtrese mapej (NHS)	m2	125.0		
4	2.212	Ulluk shkarkimi horizontal me llamarine xingat 33 cm	ml	190.0		
5	2.209	Ulluk shkarkimi vertikal me llamarine xingat Ø 100 mm	ml	165.0		
<b>Totali</b>						
<b>6-Punime Shtresash</b>						
1	2.283	Shtrese stirobetoni	m³	327.0		
2	An3	Termoizolim terraca me polisterol kompakt 5 cm	m2	1,190.0		
3	2.267/1	Shtrese me pllaka porcelanat importi	m2	2,556.0		
4	2.267/a	Shtrese me pllaka grez porcelanato	m2	402.0		
5	2.273/1	Shtrese pllaka mermeri t = 30 mm	m2	345.0		
6						
<b>Totali</b>						
<b>7-Punime Fasada dhe Rifinitura te Brendeshme</b>						
1	2.310	Suva brenda mur tulle h~4m me krah, llaç perzier M 25	m2	2,750.0		
2	2.404	Boje hidroplastike	m2	9,659.0		
<b>Totali</b>						
<b>8-Punime Dyer, Dritare ,fasada</b>						
1	2.375/a	Dritare d/alumini dyfish xham.	m²	244.4		
2	An 4	Veshje fasade me xham struktural i pathyeshem (fasada atriumit)+ e jashtme	m2	1,385.0		
3	An5	Xhami i temperuar ndarje ambiente zyrash(zyra)	m2	391.0		
4	2.388/1	F.V dyer te brendeshme tamburate te rimesuara	m²	67.2		
5	2.386/2	Dyer te blinduara	m²	2.4		
6	An6	F.V dyer metalike garazhdi	m²	13.4		
7	An7	Fasade e ventiluar me elemente terrakote+termoizolim me panele fiber xhami	m²	1,394.00		
8	An8	F.V Elemente hijezimi vertikal alumini (atriumi)	m2	780.00		
<b>Totali</b>						
<b>9-PUNIME GJELBERIMI - ATRIUMI-RRUGA</b>						
1	An165	F.V. Fidane shkurre dekorative	cope	30.0		
2	An169	F.V mbjellje peme dekorative Kumbull e Kuqe 16-18cm	cope	4.0		
3	An9	Shttrim me pllaka guri natyror te skuadruar 4 cm	m2	1,930.0		
4	An10	Bordura guri te skuadruar 15x 30 cm	ml	165.0		
5	An.164/1a	Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m³	120		
6	3.212/b	Shtrese stabilizant t=10cm	m²	600		
7	3.229/2	Shtrese binderi 6cm	m²	500		
8	3.226	Shtrese asfaltobetoni 4cm	m²	500		
9	3.617	F V bordura betoni 15x25 cm	ml	120		
10	An11	Bilbila vaditje	cope	169		
11	An12	Zorre per sistemin e vaditjes	ml	645		
12	An13	Pompë uji centrifugale 1500 wat	cope	1		
13	An14	Pompë zhytесе 1100 wat	cope	1		
<b>Totali</b>						
<b>10- Punime Mekanike</b>						
<b>10.1 Impianti i Mbrojtjes ndaj Zjarrit</b>						
1	2.493/1	F.V Tuba çeliku i zi	kg	395		
2	2.493	F.V tub te zeze dhe rakorderi	kg	520		

3	An15	F.V. Tubacion celiku i zi Fe 330, te prodhuar me teknologjine pa saldimit, dimensione sipas normes teknike EN 10216-1 M, te lyera me ngjyre te kuqe te pjekur ne fabrike, perfshire rakorderite, sistemin e mberthimit ne tavan ose te varura, materialet dhe punimet e bashkimit ose saldimit. DN 40 - 1"1/2 ( d.j. 48,3 sp. 2,9 mm )	kg	200		
4	2.494/6	F.V saracineska bronzi Ø 2 1/2 " = 70 mm	cope	10		
5	2.494/5	F.V saracineska bronzi Ø 2 " = 50 mm	cope	6		
6	An16	F.V. Valvol nderprerese me sferë, me kalim total, trup bronzi, sferë bronzi te kromuar, hermeticitet PTFE. Presioni nominal 16 bar. DN 25 (1")	cope	25		
7	An17	F.V. Valvol mos kthimi me kalim total, trup bronzi, hermeticitet PTFE. Presioni nominal 16 bar. DN 65.	cope	15		
8	An18	F.V. Valvol mos kthimi me kalim total, trup bronzi, hermeticitet PTFE. Presioni nominal 16 bar. DN 25.	cope	4		
9	An19	F.V. Bazament metalik per grupin e pompimit i kompletuar me gomina dhe i ngritur min. 20cm nga niveli i dyshemesë.	kompl	4		
10	An20	F.V. Galexhant elektrik, tension 220 V me gjatesi kalbi 10 m	cope	4		
11	An21	F.V. Sinjalistike Hidrant zjarri Kodi AI - 5212	cope	18		
12	An22	F.V. Sinjalistike Fikëse zjarri me pluhur Kodi AI - 5204	cope	25		
13	An23	F.V. Sinjalistike Fikëse zjarri me CO2 Kodi AI - 5206	cope	5		
14	An24	F.V. Sinjalistike Buton sinjalizimi i zjarrit	cope	15		
15	An25	F.V. Sinjalistike Lidhja me motopompen Kodi AI - 5121	cope	2		
16	An26	F.V. Sinjalistike Zbritje shkalle Kodi AI - 5103	cope	9		
17	An27	F.V. Sinjalistike Drejtim i daljes së emergjences Kodi AI - 5107	cope	36		
18	An28	F.V. Sinjalistike Ndalim fikje zjarri me uje	cope	1		
19	An29	Shpim solete me freze te posacme me d. 62 mm	cope	45		
20	2.15/a	Germim e mbushje dheu me krah per kanale kategoria IV, h = 1.5 m	m3	8		
		<b>Totali</b>				
	<b>10.2</b>	<b>Sistemi i Furnizimi me uje+pajisje NHS</b>				
	<b>10.2.1</b>	<b>Sistemi i furnizimit me uje nga rrjeti</b>				
1	2.491/g	F.V. Tuba e rakorderi ujesjellesi PE d=90mm, PN 16	ml	60		
2	An30	F.V. Valvol nderprerese me sferë, me kalim total, trup bronzi, sferë bronzi te kromuar, hermeticitet PTFE. Presioni nominal 16 bar. DN 65 (2½")	cope	3		
3	An31	F.V. Filter me kalim total, trup bronzi, rrjete inox, hermeticitet PTFE. Presioni nominal 16 bar. DN 65.	cope	1		
4	An32	F.V. Mates uji DN 65, Pn 6 bar	cope	1		
5	An33	F.V. Valvol mos kthimi me kalim total, trup bronzi, hermeticitet PTFE. Presioni nominal 16 bar. DN 65.	cope	1		
6	An34	F.V. Reduktor presioni DN 65, Pn 6 bar"	cope	1		
7	2.15/a	Hapje dhe mbushje kanali gjatesor per kalimin e tubave nentoke	m3	8		
	<b>10.2.2</b>	<b>Sistemi i shperndarjes ne godine+pajisjeNHS</b>				
1	2.491/b	F.V Tuba e rakorderi ujesjellesi PPR d=20~25mm, PN 16	ml	125		
2	2.491/c	F.V Tuba e rakorderi ujesjellesi PPR d=20~32mm, PN 16	ml	60		
3	2.491/d	F.V Tuba e rakorderi ujesjellesi PPR d=40mm, PN 16	ml	45		
4	2.491/e	F.V Tuba e rakorderi ujesjellesi PE d=50mm, PN 16	ml	50		
5	2.491/f	F.V Tuba e rakorderi ujesjellesi PE d=63mm, PN 16	ml	55		
6	An35	F.V. Tubo PE i pershtatshem per uje sanitar te pijshem, perfshire dhe rakorderite te pershtatshme per bashkimin e tubacioneve. d.75 mm Pn 16	ml	45		
7	An36	F.V. Elemente fiksues te zinkuara, qafore dhe materialet tjera konsumi per varjen dhe fiksimin e tubacioneve te PPR.	kompl	1		
8	An37	F.V. Valvol me sferë me kalim total, trup bronzi, sferë bronzi te kromuar, hermeticitet PTFE. Presioni nominal 16 bar, DN 20 (¾")	cope	27		
9	An38	F.V. Minisaracineska 1/2" per daljet e pajisjeve sanitare	cope	12		
10	An39	Shpim solete me freze te posacme d. 62 mm	cope	10		
11	2.501	F.V Wc allafrenga importi	cope	16		
12	2.495	F.V lavaman porcelani importi me mishelator	cope	16		
13	2.508	F.V bolier 100 liter importi	cope	4		
		<b>Totali</b>				
	<b>10.2.3</b>	<b>Sistemi i shkarkimit te ujrave te bardha dhe te zeza</b>				
1	<b>2.52</b>	F.V. Tub plasmasi shkarkimi per montim nentoke d. 110	ml	46		
2	An40	F.V. Tub plasmasi per kanalizimi te brendshme d. 125	ml	6		
3	<b>2.52</b>	F.V. Tub plasmasi per kanalizimi te brendshme d. 110	ml	55		
4	<b>516/a</b>	F.V. Tub plasmasi per kanalizimi te brendshme d. 50	ml	75		
5	<b>2.515</b>	F.V. Pilete dysheme per ambientet sanitare, d. 50 mm	cope	14		
6	An41	F.V. Kape ajrimi per tubacionet e ventilimit ne tarace d. 110 mm	cope	4		
7	2.523/1	F.V tuba i brinjzuar HDPE Ø 200 mm	ml	34		
8	3.An/1t	F V tuba te brinjzuar HDPE SN8 d=315 mm	ml	158		
10	An-55	F V tub drenazhi Ø 150 mm	ml	180		
11	An - 23	Pusetë b/a shiu 40 x 60, h = 100 cm, me kapak gize	cope	12		
12	An-20	Pusetë shkarkimi b/a, 80x80 c, h = 150 cm, me kapak gize d.60 cm	cope	4		
		<b>Totali</b>				
	<b>10.2.4</b>	<b>Sistemi i Ajrit e Kondicionuar</b>				
1	An42	F.V Tubazon + rakorderi PP per shkarkim kondens	ml	450.0		
2	An43	Kolektor shperndares bronzi te termoizoluar, kaset dhe aksesoret e nevojshem	cope	16.0		
3	An44	F. V Tub multistrato me termoizolim 13mm per ngrohje ftohje, diametri 16/20 + rakorderit	ml	3,100.0		
4	An45	F. V Tub multistrato me termoizolim 13mm per ngrohje ftohje, diametri 20/26 + rakorderit	ml	850.0		

5	An46	F. V Tub multistrato me termoizolim 13mm per ngrohje ftohje, diametri 26/32 + rakorderit	ml	730.0	
6	An47	F. V Tub multistrato me termoizolim 13mm per ngrohje ftohje, diametri 33/40 + rakorderit	ml	300.0	
7	An48	F. V Tub multistrato me termoizolim 13mm per ngrohje ftohje, diametri 41/50 + rakorderit	ml	148.0	
8	An49	Aksesore te ndryshem montimi	komplet	1.0	
<b>Shuma K</b>					
<b>L PUNIMET ELEKTRIKE</b>					
<b>L/1 PUNIMET ELEKTRIKE TE OBJEKTIT</b>					
1	2.481/1	F.V percjelles PV-500 Ø 1.5 mm2	ml	5,806.0	
2	2.481/2	F.V percjelles PV-500 Ø 2.5 mm2	ml	4,500.0	
3	2.481/3	F.V percjelles PV-500 Ø 4 mm2	ml	300.0	
4	2.481/4	F.V percjelles PV-500 Ø 6 mm2	ml	1,100.0	
5	2.481/5	F.V percjelles PV-500 Ø 10 mm2	ml	400.0	
6	An50	F.V percjelles PV-500 Ø 16 mm2	ml	250.0	
7	An51	F.V percjelles PV-500 Ø 25 mm2	ml	250.0	
8	An52	F.V percjelles PV-500 Ø 70 mm2	ml	20.0	
9	An53	Kabell rrjeti UTP Cat 6	ml	1,100.0	
10	An54	F.V priza RJ45 Cat 5	cope	125.0	
11	An55	Priza Telefoni Cat 5	cope	125.0	
12	An56	Kabell telefoni 2x0,6mm2	ml	2,900.0	
13	An57	Switch 48porta	cope	4.0	
14	An58	Pac panel 48 porta	cope	4.0	
15	480/1	F.V tub plastmasi Ø 14 ~ 17 mm	ml	3,500.0	
16	480/2	F.V tub plastmasi Ø 18 ~ 21 mm	ml	1,400.0	
17	480/3	F.V tub plastmasi Ø 22 ~ 26 mm	ml	450.0	
18	480/5	F.V tub plastmasi Ø 31 ~ 36 mm	ml	120.0	
19	2.487/a	F.V kuti suport pllaket 2 modular	cope	160.0	
20	2.487/b	F.V kuti suport pllaket 4 modular	cope	104.0	
21	2.485/1	F.V Çeles 1 polar 220V 10A	cope	98.0	
22	2.485/6	F.V Çeles rregullator 220V 10A "Vimar"	cope	10.0	
23	Analize 7	F.V Pulsant 1 polar 220V 10A	cope	40.0	
24	2.485/d	F.V priza shuko "Gevis" universal	cope	238.0	
25	2.485/d	F.V priza shuko universal te kuqe	cope	125.0	
26	An59	Tub Rigid fi20	ml	170.0	
27	An60	Sensor Levizjeje 360grade	cope	21.0	
28	2. a-121	Kanaline metalike 150x50	ml	70.0	
29	2. a-122	Kanaline metalike 210x65	ml	70.0	
30	2. 487	F.V Kutiderivacioni plastike	cope	100.0	
31	3.An/57/b	F V pusete elektrike kontrolli PVC 40x40x40cm	cope	30.0	
32	An61	Spot inkaso LED N dn500b led20/ee 22e 220v d200 rd	cope	543.0	
33	An62	Ndricues panel LED 30x120cm 50e	cope	95.0	
34	2. a-139	Ndricues evakuimi me llampe 1x11e,IP40	cope	86.0	
35	An63	Spote te jashtem me reflektor	cope	48.0	
36	An64	Spote toke	cope	20.0	
37	An65	Ndricues shtyllle 100W	cope	23.0	
39	2.490/h	F.V Kasete plastike KE me 54 modular (vende)	cope	6.0	
40	An66	Panel metalik IP65(700x550x250mm) 96 modular (vende)	cope	3.0	
41	An67	Automat magneto-termik 380V,250A, 4P	cope	1.0	
42	An68	Automat magneto-termik 380V,80A, 4P	cope	9.0	
43	2. a-107	Automat magneto-termik 380V,63A, 4P	cope	8.0	
44	An69	Automat magneto-termik 380V,80A, 4P,Id=0.03A	cope	7.0	
45	An70	Automat magneto-termik 380V,32A, 4P	cope	2.0	
46	2. a-106	Automat magneto-termik 380V,40A, 4P,Id=0.03A	cope	1.0	
47	An71	Automat magneto-termik 380V,63A, 4P,Id=0.03A	cope	6.0	
48	An72	Kontator 25A	cope	19.0	
49	An73	RL paso paso	cope	7.0	
50	An74	RL me fluks drite	cope	6.0	
51	An75	RL kohe	cope	6.0	
52	An76	Llampe sinjalizimi 380V;1.2e	cope	15.0	
53	2.490/1a	F.V Automat termo/el.manj. diferencial 2P 220V, 10A	cope	5.0	
54	2.490/1b	F.V Automat termo/el.manj. diferencial 2P 220V, 16A	cope	235.0	
55	An77	F.V Automat termo/el.manj. diferencial 2P 220V, 20A	cope	5.0	
56	3.An/53	F V shtylla metalike per ndrçim, H=7m, d=160mm	cope	23.0	
<b>Shuma L1</b>					
<b>L/2 PUNIMET E TOKEZIMIT TE SISTEMIT ELEKTRIK</b>					
1	2.a-73	Elektroda tokezimi, profil zingato e bakerizuar, L=1.5m	copë	9.0	
2	2.a-98	Percjelles shirit zinku tokezimi, Zn= 30x3mm	ml	320.0	
3	2.a-93	Percjelles tokezimi bakri, Cu, S=35mm2 l zhveshur	ml	20.0	
<b>Shuma L2</b>					
<b>M/3 PUNIMET TE SISTEMIT TE MBROJTJES NGA ZJARRI</b>					
1	An78	Dedektor optik kunder zjarri	copë	144.0	
2	2. a-116	Sirene e brendshme audio vizive	copë	19.0	
3	2. a-117	Sirene e jashtme	copë	2.0	
4	An79	Pulsant manual emergjense kunder zjarri	copë	28.0	
5	An80	Centraline kunder zjarri me 5 zona	copë	1.0	
6	An81	Kabell 2x1mm2 kundra zjarrit	ml	900.0	
<b>Shuma L3</b>					
<b>PAJISJE PUNETORI</b>					
1	An82	V. Fan-coil caset me 4dalje CT 2T-2R 031-2R	cope	41	
2	An83	V. Valvole 3 rrugeshe / 3 rruge + by-pass (1 valvola) 3/4"	cope	41	
3	An84	V. Termostato di minima acqua calda	cope	4	
4	An85	V. Termostato elettronico a parete	cope	41	
5	An86	V. Vaske per mledhje uji kondense PVC	cope	41	
6	An87	V. Fan-coil caset me 4dalje CT 2T-2R 049-2R	cope	52	
7	An88	V. Valvole 3 rrugeshe / 3 rruge + by-pass (1 valvola) 3/4"	cope	52	

8	An89	V. Termostat Min. Uje I ngrohthe	cope	52		
9	An90	V. Termostat elektrik ne mur	cope	52		
10	An91	V. Vaske per mledhje uji kondense PVC	cope	52		
11	An92	V. Fan-coil caset me 4dalje CT 2T-4R 065-4R	cope	4		
12	An93	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	4		
13	An94	V. Termostato di minima acqua calda	cope	4		
14	An95	V. Termostato elettronico a parete	cope	4		
15	An96	V. Vaske per mledhje uji kondense PVC	cope	4		
16	An97	V. Fan-coil caset me 4dalje CT 2T-3R 075-3R	cope	2		
17	An98	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	2		
18	An99	V. Termostato di minima acqua calda	cope	2		
19	An100	V. Termostato elektronik ne mure	cope	2		
20	An101	V. Vaske per mledhje uji kondense PVC	cope	2		
21	An102	V. Fan-coil caset me 4dalje CT 2T-3R 102-3R	cope	1		
22	An103	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	1		
23	An104	V. Termostat min uje I ngrohthe	cope	1		
24	An105	V. Termostat elektronik ne mur	cope	1		
25	An106	V. Vaske per mledhje uji kondense PVC	cope	1		
26	An107	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 26ke .: Perfshi aksesoret e nevojshem te montimit.	cope	4		
27	An108	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 66ke .: Perfshi aksesoret e nevojshem te montimit.	cope	2		
28	An109	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 90ke. Perfshi aksesoret e nevojshem te montimit.	cope	2		
29	An110	V rezervuari zingato 2000 litra	cope	2.0		
30	An111	V Ashensor 'TIP' fuqia 4.3 ke / kapaciteti mbajtes 600 kg	cope	2		
31	An112	V. RACK 26 HU	cope	1.0		
32	An113	V. UPS 80KVA	cope	3.0		
		<b>Shuma pajisje punetori</b>				
		<b>PAJISJE BLERJE</b>				
1	An113	V. Fan-coil caset me 4dalje CT 2T-2R 031-2R	cope	41		
2	An114	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	41		
3	An115	V. Termostato di minima acqua calda	cope	4		
4	An116	V. Termostato elettronico a parete	cope	41		
5	An117	V. Vaske per mledhje uji kondense PVC	cope	41		
6	An118	V. Fan-coil caset me 4dalje CT 2T-2R 049-2R	cope	52		
7	An119	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	52		
8	An120	V. Termostat Min. Uje I ngrohthe	cope	52		
9	An121	V. Termostat elektrik ne mur	cope	52		
10	An122	V. Vaske per mledhje uji kondense PVC	cope	52		
11	An123	V. Fan-coil caset me 4dalje CT 2T-4R 065-4R	cope	4		
12	An124	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	4		
13	An125	V. Termostato di minima acqua calda	cope	4		
14	An126	V. Termostato elettronico a parete	cope	4		
15	An127	V. Vaske per mledhje uji kondense PVC	cope	4		
16	An128	V. Fan-coil caset me 4dalje CT 2T-3R 075-3R	cope	2		
17	An129	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	2		
18	An130	V. Termostato di minima acqua calda	cope	2		
19	An131	V. Termostato elektronik ne mure	cope	2		
20	An132	V. Vaske per mledhje uji kondense PVC	cope	2		
21	An133	V. Fan-coil caset me 4dalje CT 2T-3R 102-3R	cope	1		
22	An134	V. Valvole 3 rrugeshe / 3 rruge+ by-pass (1 valvola) 3/4"	cope	1		
23	An135	V. Termostat min uje I ngrohthe	cope	1		
24	An136	V. Termostat elektronik ne mur	cope	1		
25	An137	V. Vaske per mledhje uji kondense PVC	cope	1		
26	An138	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 26ke .: Perfshi aksesoret e nevojshem te montimit.	cope	4		
27	An139	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 66ke .: Perfshi aksesoret e nevojshem te montimit.	cope	2		
28	An140	V. Pomp nxehtesie reversibile me kit idronic te inkorporuar 90ke. Perfshi aksesoret e nevojshem te montimit.	cope	2		
29	An141	V rezervuari zingato 2000 litra	cope	2.0		
30	An142	V Ashensor 'TIP' fuqia 4.3 ke / kapaciteti mbajtes 600 kg	cope	2		
31	An143	V. RACK 26 HU	cope	1.0		
32	An144	V. UPS 80KVA	cope	3.0		
		<b>Shuma pajisje</b>				
		<b>TOTALI PA PAISJE</b>				
		<b>T.V.SH. 20%</b>				
		<b>SHUMA PA PAISJE</b>				
		<b>FONDI REZERV 5 %</b>				
		<b>SHUMA</b>				
		<b>PAJISJET</b>				
		<b>VLERA TOTALE</b>				
Per "C.E.C GROUP" sh.p.k Ing. Vangjush MBRIÇE Administrator						