

	Emertimi I materialeve	Njesia	Sasia	Prill-Maj	Qershor-Korrik	Gusht-Shtator
1	Llampa Nave 250W, E40-Lm=25000 - tubolar	cope	100	34	33	33
2	Llampa Nave 100W, E40-Lm=7200, me presion te larte Sodiumi - tubolare	cope	40	15	15	10
3	Llampa Nave 110W, E27-Lm=6500, me presion te larte Sodiumi -tubolar	cope	17	7	5	5
4	Llampa Nave 150W, E40-Lm=15 165kwh/1000H, me presion te larte Sodiumi - tubolar	cope	40	15	15	10
5	Llampa Nave 150W HQI-E27	cope	10	4	3	3
6	Llampa Hql 125W, E27, Lm=6500	cope	50	17	17	16
7	LlampaHql 250W, E40, Lm=13000	cope	20	7	7	6
8	Llampe 70W CDM-T	cope	20	7	7	6
9	Llampe Hql 150W E27	cope	20	7	7	6
10	Llampa NAVE 150W, Lm=15000, Portollampe RX7/5-24	cope	20	7	7	6
11	Portollampa porcelani E40 me dykrahefiksues	cope	40	17	13	10
12	Portollampa porcelani E27 me dykrahefiksues	cope	40	17	13	10
13	Pershtates E40, E27 230V	cope	60	25	20	15
14	Izolant i zakoshem (0.15mm x 19mm x 25mm) Me veteshuarje	cope	1000	400	350	250
15	Izolantskotch 70390 (paragome) Max 600V,80°C	cope	30	15	10	5
16	Drozel 125W , reaktor 1.15A	cope	60	25	20	15
17	Drozel 250W, reaktor 2.15A	cope	10	4	3	3
18	Drozel 100 W, reaktor 1.2A	cope	30	15	10	5
19	Kabell 3x1.5mm2 PVC kundrazjarrit CU FROR 450/750V	ml	1000	400	350	250
20	Kabell 3x2.5mm2 PVC kundrazjarrit CU FROR 450/750V	ml	800	350	250	200
21	Kabell 5x2.5mm2 PVC kundrazjarrit CU FROR 450/750V	ml	700	350	200	150
22	Kabell 5x4mm2 PVC kundrazjarrit CU FROR 450/750V	ml	60	25	20	15
23	Paketeelektronike per ndricues LED driver Pn=90W, DC 20-40V	cope	100	35	33	32
24	Intek E 400 CHP5, 70ts-400W (ndezes)	cope	70	35	20	15
25	Foto element 16A, 230V Max 2300W IP 54 Profesional	ml	150	50	50	50

26	Tub Freksibel PVC me dyshtresa RP 12110 Ø 110mm gri	ml	100	35	33	32
27	Tub Freksibel PVC me dyshtresa RP 12160 Ø160mm I Kuq	cope	100	35	33	32
28	Morsetaetrike E-16 Mono Fazore	cope	50	17	17	16
29	Konektor A.B.C.	ml	300	100	100	100
30	Percjelles CU N07V-K 1x4mm2 Kundrazjarrit	ml	600	200	200	200
31	Percjelles CU N07V-K 1x6mm2 Kundrazjarrit	ml	40	17	13	10
32	Leshues 3F, U/Bob, 220V, 25A 4Kw, 220V, 50/60Hz, D 09,12,18	cope	40	17	13	10
33	Leshues 3F, U/Bob, 220V, 40A 11Kw,220V, 50/60Hz, D 25,32	cope	120	40	40	40
34	Paketeelektronike per ndricues LED driver Pn=60W, DC 20-40V, 27A, 320W	cope	100	35	33	32
35	Percjelles CPR N07V-K 1x10mm2 Per Tokezim	ml	60	20	20	20
36	Automat 4P, 40A, 380V ~ magneto termik ON/OFF 1000	cope	40	15	15	10
37	Automat 4P, 63A, 380V ~ magneto termik ON/OFF 1000	cope	40	15	15	10
38	KAPAK SHTYLLASH ZIPO I70109	cope	40	15	15	10
39	KAPAK SHTYLLASH OEC I70110	cope	80	30	30	20
40	Upaplastike ø12, Vida metrike M12	cope	500	200	200	100
41	Lidheseplastike L=170mm Æ3-50mm Max 180N PA 6.6	cope	80	30	30	20
42	Automat 2P 40A diferencial ~ magneto termik	cope	70	35	20	15
43	Automat 2P 16A diferencial ~ magneto termik	cope	100	35	33	32
44	Automat 2P 25A diferencial ~ magneto termik	cope	120	40	40	40
45	Automat 1P/10A ~ magneto termik ON/OFF 6000	cope	150	50	50	50
46	Tub Freksibel PVC me dyshtresa RP 12040Ø 40mm gri	ml	40	15	15	10
47	Drosel 150W (reaktor)	cope	80	30	30	20
48	Kabell 5x6 kundrazjarrit (PVC) I Gomuar FROR450/750V	ml	200	70	70	60
49	Kabell 5x10 kundrazjarrit (PVC) I Gomuar FROR450/750V	ml	100	70	70	60
50	Kabell 5x16 kundrazjarrit (PVC) I Gomuar FROR450/750V	ml	100	70	70	60
51	Kokandricimi LED 100W, 100/265V, 50/60Hz, 3000K/4200K/6500K, jo me e vogel se 10500 Lumens, 50.000 Hours, ON-OFF 25000x, IP 65 (Garancia 2 vjet)	cope	30	10	10	10

52	Ndricules rrugor LED 90-120 W 15300-20400 Lm , skeda Led me lente asimetrike rrugore me guarnicion silikoni per temperature mbi 200° e montuar ne nje trup njesi alumini me ftohes ne forme grille per shkembim temperature , me shkalle mbrojtje IP65, trupi ndricuesit alumin i anodizuar i lyster me boje elektrostatische RAL 9022.	cope	20					7	7	6
53	Prozhektor Led 100W, 220-240V, 25000 Hours, jo me te vogel se 10000 Lumens, 3000K/4000K/6000K, IP 65 (Garancia 2 vjet)	cope	20					7	7	6
54	Prozhektor Led 150W. 220-240V, 50-60 Hz, jo me te vogel se 15000 Lumens, 3000K/4000K/6000K, IP 65 (Garancia 2 vjet)	cope	250					100	100	50
55	Kokendricimi LED 50W 100/265V, 50/60Hz, 3000K/4200K/6500K, jo me te vogel se 4953 Lumens, 50.000 Hours, ON-OFF 25000x, IP 65 (Garancia 2 vjet)	cope	100					35	35	30
56	Kokendricimi LED 150W 100/265V, 50/60Hz, 3000K/4200K/6500K, jo me te vogel se 15061 Lumens, 50.000 Hours, ON-OFF 25000x, IP 65 (Garancia 2 vjet)	cope	200					70	70	60
57	Llamba Bulb LED 40 W 3520LUMEN E27, 30000 Ore, 30000 ON/OFF, 270°, A+	cope	50					20	20	10
58	Mufte TU Per KablloPlastik/PVC Pa armature 1KV:50-70mm2	cope	50					20	20	10
59	Llampaekonomike 23-30W, Lm=1200, ore pune h=6000-800	cope	80					30	30	20
60	Leshues 3F, U/Bob, 220V, 63A 22Kw, 220V, 50/60Hz, D40,63	cope	70					25	25	20
61	Automat 4P, 100A, 380V ~ magneto termik ON/OFF 1000	cope	30					10	10	10
62	Pusetaplastikeelektrike (40cm x 40cm x 40cm)	cope	30					10	10	10
63	Pusetaplastikeelektrike (20cm x 20cm x 20cm)	cope	25					10	10	5
64	Leshues 3 fazor, U(bob), 220V/100A	cope	10					5	3	2
65	Boksekomandimi (50cm x 70 cm x 25cm)		10					5	3	2
	I perbere nga:		0							
	a) Automat 4P-63A---cope 1		0							
	b) Automat 2P-25A----cope 4		0							
	c) Automat 2P-16A----cope 1		0							
	d) Leshues 63A-3 fazor----cope 1		0							
	e) Rrele muzgu 18A----cope 1		0							
66	Salvavite 32A		10					5	3	2

67	g) Klema , shine tel PV 1x4 , 1x6 , 1x10 , bulona me dado M4 , M5 me dadot perkatese etj	cope	20	10	5	5
68	Spote per shatervanet kundra ujit	cope	100	35	35	30
69	Tub Freksibel PVC me dyshtresa RP 12090Ø 90mm I zi	ml	100	35	35	30
70	Tub Freksibel PVC me dyshtresa RP 12075 Ø 75mm I zi	ml	100	35	35	30
71	Tub Freksibel PVC me dyshtresa RP 12063 Ø 63mm I zi	ml	15	5	5	5
72	Prozhektor universal IP 66/400wMT/ST 4.2 A50 HZ sipas modelit ekzistues tek sfinksi / Titan	cope	10	5	3	2
73	PROZHEKTOR SPECIAL KOMPAKT Ø 260MM, 24W , 3800 LM	cope	10	5	3	2
74	Shirit Led	cope	10	5	3	2
75	NDRICUES LED DEKORATIV NE FORME HINKE 60 w	cope	50	20	20	10
76	IP-67 DL-50W1A5-MPA	cope	30	10	10	10