


LLOGARITJET E VOLUMEVE

OBJEKTI: PUNIME REHABILITIMI UJEMBLEDHESI PROKUC-IT
DHE NDERTIMIN E KANALIT TE SHKARKIMIT TE KETIJ UJEMBLEDHESI
NJESIA ADMINISTRATIVE VERTOP, BASHKIA POLIÇAN, QARKU BERAT



VENDODHJA : NJESIA ADMINISTRATIVE VERTOP, BASHKIA POLIÇAN

PROJEKTUESI : M.A.K STUDIO N.6335/9



Janar 2025

Tabela 1

| LLOGARITJA E VOLUMIT TE UJMBLEDHESIT TE PLIRES | | | | | |
|--|-------------|----------------------|------------------|----------------|------------------|
| Nr | Kuota (mnd) | Siperfaqja e Pellgut | Lartesia Pjesore | Volumi Pjesor | Volumi Progresiv |
| | | m ² | m | m ³ | m ³ |
| 1 | 256.50 | 945.5 | 0.50 | 472.75 | 472.8 |
| 2 | 257.00 | 1189.7 | 0.50 | 594.85 | 1,067.6 |
| 3 | 257.50 | 1374.5 | 0.50 | 687.25 | 1,754.9 |
| 4 | 258.00 | 1601.2 | 0.50 | 800.60 | 2,555.5 |
| | | | 2.00 | 2,555.45 | |

| SEKSIONI I KANALIT TIP 1 (L = 178.6 ml) | | | | | | | | | |
|---|--------------|----|--------|-------|------|----|-------|-----------|----------|
| Nr | Emertimi | Φ | l (cm) | Copë | L ml | Φ | L ml | p (kg/ml) | P (KG) |
| 1 | Elementi a | 10 | 212 | 5 | 11 | 6 | - | 0.250 | - |
| 2 | Elementi b | 10 | 394 | 0 | 0 | 8 | - | 0.450 | - |
| 3 | Elementi c | 10 | 340 | 0 | 0 | 10 | 23.60 | 0.650 | 2,739.72 |
| 4 | Elementi d | 10 | 100 | 13 | 13 | 12 | - | 0.950 | - |
| | | | | | | 14 | - | 1.250 | - |
| | | | | | | 16 | - | 1.650 | - |
| | | | | | | 18 | - | 2.100 | - |
| | | | | | | 20 | - | 2.650 | - |
| | | | | | | 22 | - | 2.984 | - |
| | | | | | | 24 | - | 3.551 | - |
| | | | | | | 25 | - | 3.853 | - |
| | | | | | | 26 | - | 4.168 | - |
| | | | | | | 28 | - | 4.834 | - |
| | | | | | | 30 | - | 5.549 | - |
| | | | | | | 32 | - | 6.313 | - |
| | Beton C7/10 | | - | m3 | | | | | |
| | Beton C25/30 | | 39.29 | m3 | | | | p ≤ 10mm | 2,739.72 |
| | Pesha per m3 | | 69.73 | kg/m3 | | | | p > 10mm | - |
| | | | | | | | | ml | 178.6 |
| SEKSIONI I KANALIT TIP 1 (L = 178.6 ml) | | | | | | | | TOTALI | 2,739.72 |

| SEKSIONI I KANALIT TIP 2 (L = 10.5 ml) | | | | | | | | | |
|--|--------------|----|--------|-------|------|----|-------|-----------|--------|
| Nr | Emertimi | Φ | l (cm) | Copë | L ml | Φ | L ml | p (kg/ml) | P (KG) |
| 1 | Elementi a | 10 | 212 | 0 | 0 | 6 | - | 0.250 | - |
| 2 | Elementi b | 10 | 394 | 5 | 20 | 8 | - | 0.450 | - |
| 3 | Elementi c | 10 | 340 | 0 | 0 | 10 | 39.70 | 0.650 | 270.95 |
| 4 | Elementi d | 10 | 100 | 20 | 20 | 12 | - | 0.950 | - |
| | | | | | | 14 | - | 1.250 | - |
| | | | | | | 16 | - | 1.650 | - |
| | | | | | | 18 | - | 2.100 | - |
| | | | | | | 20 | - | 2.650 | - |
| | | | | | | 22 | - | 2.984 | - |
| | | | | | | 24 | - | 3.551 | - |
| | | | | | | 25 | - | 3.853 | - |
| | | | | | | 26 | - | 4.168 | - |
| | | | | | | 28 | - | 4.834 | - |
| | | | | | | 30 | - | 5.549 | - |
| | | | | | | 32 | - | 6.313 | - |
| | Beton C7/10 | | - | m3 | | | | | |
| | Beton C25/30 | | 6.83 | m3 | | | | p ≤ 10mm | 270.95 |
| | Pesha per m3 | | 39.70 | kg/m3 | | | | p > 10mm | - |
| | | | | | | | | ml | 10.5 |
| SEKSIONI I KANALIT TIP 2 (L = 10.5 ml) | | | | | | | | TOTALI | 270.95 |

| SEKSIONI TIP 3 (L = 10.5 ml) me tubacion | | | | | | | | | |
|--|--------------|----|--------|-------|------|----|-------|-----------|----------|
| Nr | Emertimi | Φ | l (cm) | Copë | L ml | Φ | L ml | p (kg/ml) | P (KG) |
| 1 | Elementi a | 10 | 212 | 0 | 0 | 6 | - | 0.250 | - |
| 2 | Elementi b | 10 | 394 | 0 | 0 | 8 | - | 0.450 | - |
| 3 | Elementi c | 10 | 340 | 5 | 17 | 10 | 31.00 | 0.650 | 1,831.64 |
| 4 | Elementi d | 10 | 100 | 14 | 14 | 12 | - | 0.950 | - |
| | | | | | | 14 | - | 1.250 | - |
| | | | | | | 16 | - | 1.650 | - |
| | | | | | | 18 | - | 2.100 | - |
| | | | | | | 20 | - | 2.650 | - |
| | | | | | | 22 | - | 2.984 | - |
| | | | | | | 24 | - | 3.551 | - |
| | | | | | | 25 | - | 3.853 | - |
| | | | | | | 26 | - | 4.168 | - |
| | | | | | | 28 | - | 4.834 | - |
| | | | | | | 30 | - | 5.549 | - |
| | | | | | | 32 | - | 6.313 | - |
| | Beton C7/10 | | - | m3 | | | | | |
| | Beton C25/30 | | 95.45 | m3 | | | | p ≤ 10mm | 1,831.64 |
| | Pesha per m3 | | 19.19 | kg/m3 | | | | p > 10mm | - |
| | | | | | | | | ml | 90.9 |
| SEKSIONI TIP 3 (L = 10.5 ml) me tubacion | | | | | | | | TOTALI | 1,831.64 |

LIBREZE MASASH - VOLUMET E BETONIT

| SEKSIONI TIP 1 I MURIT TE PRITES (5 kampata L = 12 ml) | | | | | | |
|--|-------|------|-------|------|--------|-----------------|
| Emertimi I Punimit | a | b | h | cope | V | Klasa e Betonit |
| Nenshtresa | 12.00 | 2.70 | 0.10 | 5 | 16.20 | C7/10 |
| Themel muri | 12.00 | 0.50 | 0.25 | 5 | 7.50 | C25/30 |
| Themel muri | 12.00 | 2.50 | 0.50 | 5 | 75.00 | C25/30 |
| | | | | | | |
| Themel muri | | | | | 82.50 | C25/30 |
| Muri b/arme | 12.00 | 3.00 | 0.625 | 5 | 112.50 | C25/30 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Muri b/arme | | | | | 112.50 | C25/30 |
| SEKSIONI TIP 1 I MURIT TE PRITES (5 kampata L = 12 ml) | | | | | 195.00 | C25/30 |

| SEKSIONI TIP 2 I MURIT TE PRITES (1 kampata L = 8 ml) + 4 ml SEKSION TIP 1 | | | | | | |
|--|-------|------|-------|------|-------|-----------------|
| Emertimi I Punimit | a | b | h | cope | V | Klasa e Betonit |
| Nenshtresa | 12.00 | 2.70 | 0.10 | 1 | 3.24 | C7/10 |
| Themel muri | 12.00 | 0.50 | 0.25 | 1 | 1.50 | C25/30 |
| Themel muri | 12.00 | 2.50 | 0.50 | 1 | 15.00 | C25/30 |
| | | | | | | |
| Themel muri | | | | | 16.50 | C25/30 |
| Muri b/arme | 12.00 | 2.50 | 0.645 | 1 | 19.35 | C25/30 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Muri b/arme | | | | | 19.35 | C25/30 |
| SEKSIONI TIP 2 I MURIT TE PRITES (1 kampata L = 8 ml) + 4 ml SEKSION TIP 1 | | | | | 35.85 | C25/30 |

| SEKSIONI I KANALIT TIP 1 (L = 178.6 ml) | | | | | | |
|---|--------|------|------|------|-------|-----------------|
| Emertimi / Punimit | a | b | h | cope | V | Klasa e Betonit |
| Nenshtresa | 178.60 | - | - | 1 | - | C7/10 |
| Kanali | 178.60 | 2.20 | 0.10 | 1 | 39.29 | C25/30 |
| | | | | | | |
| 0 | | | | | 39.29 | C25/30 |

| SEKSIONI I KANALIT TIP 2 (L = 10.5 ml) | | | | | | |
|--|-------|------|------|------|------|-----------------|
| Emertimi / Punimit | a | b | h | cope | V | Klasa e Betonit |
| Nenshtresa | 10.50 | - | - | 1 | - | C7/10 |
| Kanali | 10.50 | 6.50 | 0.10 | 1 | 6.83 | C25/30 |
| | | | | | | |
| 0 | | | | | 6.83 | C25/30 |

| SEKSIONI TIP 3 (L = 10.5 m) me tubacion | | | | | | |
|---|-------|-------|------|------|-------|-----------------|
| Emertimi / Punimit | a | b | h | cope | V | Klasa e Betonit |
| Nenshtresa | 90.90 | - | - | 1 | - | C7/10 |
| Kanali | 90.90 | 10.50 | 0.10 | 1 | 95.45 | C25/30 |
| | | | | | | |
| 0 | | | | | 95.45 | C25/30 |

LIBREZE MASASH - VOLUMET E GERMIMIT

| GERMIMET | | | | | |
|--|------|--------|------|-------|-----------------|
| Emertimi / Punimit | a | b | h | ml | V |
| Germim dheu seksioni 1 i murit te prites | 1.00 | 2.60 | 2.40 | 72 | 449.28 |
| Germim dheu seksioni 1 i kanalit | 1.00 | 0.80 | 1.00 | 178.6 | 142.88 |
| Germim dheu seksioni 2 i kanalit | 1.00 | 1.10 | 1.00 | 10.5 | 11.55 |
| Germim dheu seksioni 3 i linjes me tub corrugato | 1.00 | 1.05 | 1.00 | 90.9 | 95.45 |
| Germim dheu tabani / ujembledhesit | 1.00 | 945.00 | 0.84 | 5 | 3,969.00 |
| | | | | | 4,668.16 |

Përgatiti materialin
M.A.K STUDIO Liçensa
N.6335/9



Miratoj
Kryetari i Bashkise
Adriatik Zotkaj

