

PREVENTIVAT E PUNIMEVE

Loti I- “Përmirësim i shkarjes në lagjen Kurtaj”,

Nr.	NR. ANALIZE	EMERTIMI I PUNIMIT	NJESI	SASIA
1	3.104/b	Germim dheu me ekskavator zingjir, 0.5 m ³ , ne kanale gjerësi >2 m, toke zak, kategoria IV, me shk ne mjet	m ³	452
2	3.158/5a	Transport dheu me auto deri 5.0 km	m ³	452
3	3.25/a	Germim me krah per murin	m ³	45
4	3.183/a	Shtrese zhavorri, t = 10 cm nen beton	m ²	88
5	3.243	Beton C 16/20 per mur	m ³	134
6	3.654	FV tub Ø 110 mm PVC per shkarkim uji	ml	50
7	3.164/1b	Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m ³	303
8	3.25/a	Germim me krah per kalim tub çeliku	m ³	9
9	3.183/a	Shtrese zhavorri, t = 10 cm nen beton	m ²	3
10	3.243	Beton C 16/20 per H+D	m ³	2.4
11	4.60	FV tub çeliku Ø 219.1/5 mm;L = 8 ml	ton	0.211
12	2.195	H/Izolim me emulsion dhe dy duar bitum	m ²	5
13	3.288	Hekur per zgare,ne hyrje 10*10 cm, Ø 8 mm	kg	5
14	3.164/1b	Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m ³	4

SHUMA

